

GENIE

GENIE 11W CDL E14 220-240V 1PF/6

Functional non-covered Energy saving lamp, with money saving high quality light and compact design. This lamp is small enough to fit neatly wherever you need extra bright light at home, enables easy replacement of most incandescent lamp all the way.

PHILIPS

GENIE

Product data

• General Information

Cap-Base	E14 [E14]
Nominal Lifetime (Nom)	10000 h
Switching Cycle	10000X

• Light Technical

Colour Code	865 [CCT of 6500K]
Luminous Flux (Nom)	580 lm
Luminous Flux (Rated) (Nom)	580 lm
Colour Designation	Cool Daylight
Lumen Maintenance 2000 h (Nom)	88 %
Chromaticity Coordinate X (Nom)	313
Chromaticity Coordinate Y (Nom)	337
Colour Temperature, horizontal (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	52 lm/W
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	65 %

• Operating and Electrical

Input Frequency	50 or 60 Hz
Power (Rated) (Nom)	11 W
Lamp Current (Nom)	80 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.3 s
Warm Up Time To 60% Light (Min)	5 s
Warm Up Time To 60% Light (Max)	40 s
Power Factor (Nom)	0.6
Voltage (Nom)	220-240 V

• Controls and Dimming

Dimmable	No

• Approval and Application

Energy Efficiency Label	A
Mercury (Hg) Content (Max)	2 mg
Mercury (Hg) Content (Nom)	1.5 mg
Energy Consumption kWh/1000 h	11 kWh


• Product Data

Full product code	871150080257610
Order product name	GENIE 11W CDL E14 220-240V 1PF/6
EAN/UPC - Product	8711500802576
Order code	80257610
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929689245401
Net Weight (Piece)	0.080 kg

Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.


Dimensional drawing




8W/11W/15W, E14

Econ Genie ErP NG 11W/865 E14 220-240V

Product	D	C	F
GENIE 11W CDL E14 220-240V 1PF/6	35.0 mm	120 mm	44.5 mm






8 W, 11 W E14

Econ Genie ErP NG 11W/865 E14 220-240V

Product	D	C	F
GENIE 11W CDL E14 220-240V 1PF/6	35.0 mm	120 mm	44.5 mm

Dimensional drawing



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.