

Tornado T2 mini

Tornado T2 mini 12W WW E14 1PF/6

Decorative spiral-shaped Energy Saving Lamp in very compact size. This lamp combines high performance bright light and ultra slim size, ideal for narrow luminaires with its compact design.

PHILIPS

Tornado T2 mini

Product data

• General Information

Cap-Base	E14 [E14]
Nominal Lifetime (Nom)	8000 h
Switching Cycle	8000X

• Light Technical

Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	735 lm
Luminous Flux (Rated) (Nom)	735 lm
Color Designation	Warm White (WW)
Lumen Maintenance 2000 h (Nom)	88 %
Chromaticity Coordinate X (Nom)	463
Chromaticity Coordinate Y (Nom)	420
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	60 lm/W
Color Rendering Index (Nom)	82
LLMF At End Of Nominal Lifetime (Nom)	65 %

• Operating and Electrical

Input Frequency	50 or 60 Hz
Power (Rated) (Nom)	12.0 W
Lamp Current (Nom)	80 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.3 s
Warm Up Time To 60% Light (Min)	5 s
Warm Up Time To 60% Light (Max)	40 s
Power Factor (Nom)	0.6
Voltage (Nom)	220-240 V

• Controls and Dimming

Dimmable	No

• Approval and Application

Energy Efficiency Label (EEL)	A
Mercury (Hg) Content (Max)	2.0 mg
Mercury (Hg) Content (Nom)	1.5 mg
Energy Consumption kWh/1000 h	12 kWh

• Product Data


Full product code	872790092662000
Order product name	Tornado T2 mini 12W WW E14 1PF/6
EAN/UPC - Product	8727900926620
Order code	929689174501
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929689174501
Net Weight (Piece)	0.042 kg

Warnings and Safety


- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

Tornado T2 mini

Dimensional drawing



8 W, 12 W E14 T2



TORNADO 12W/827 E14 220-240V 50/60Hz

Product	D	C	F
Tornado T2 mini 12W WW E14 1PF/6	38.5 mm	105.0 mm	38.5 mm

© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 28
data subject to change