

Halogen Classic Reflector

Halogen Classic 28W E14 230V NR50 1CT/10 SRP

Philips Halogen Classic light bulbs offer the classical shapes you are used to. This new 'classic' gives high-quality light, is dimmable and starts immediately.

PHILIPS

Halogen Classic Reflector

Product data

- General Information

Cap-Base	E14 [E14]
Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal Lifetime (Nom)	2000 h
Switching Cycle	8000X

- Light Technical

Beam Angle (Min)	30 °
Beam Angle (Nom)	30 °
Luminous Flux (Rated) (Nom)	136 lm
Luminous Intensity (Max)	300 cd
Rated Beam Angle	30 °
Colour Temperature, horizontal (Nom)	2800 K
Colour Rendering Index horiz (Nom)	100
LLMF At End Of Nominal Lifetime (Min)	80 %
Luminous Flux In 90° Cone (Rated)	136 lm

- Operating and Electrical

Power (Rated) (Nom)	28.0 W
Lamp Current (Nom)	0.12 A
Wattage Equivalent	33 W
Starting Time (Nom)	0.0 s
Warm Up Time To 60% Light (Nom)	instant full light
Power Factor (Nom)	1
Voltage (Nom)	230 V

- Controls and Dimming

Dimmable	Yes

- Mechanical and Housing

Bulb Finish	Frosted (FR)

- Approval and Application

Energy Efficiency Label	D
Energy Consumption kWh/1000 h	28 kWh


- Luminaire Design Requirements

Cap-Base Temperature (Max)	130 °C

- Product Data

Full product code	872790025274304
Order product name	Halogen Classic 28W E14 230V NR50 1CT/10 SRP
EAN/UPC - Product	8727900252743
Order code	25274304
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	925640044235
Net Weight (Piece)	20.800 g

Dimensional drawing




E14, NR50

HalClass 28W E14 230V NR50 30D FR

Product	D	C
Halogen Classic 28W E14 230V NR50 1CT/10 SRP	51 mm	86.5 mm

Halogen Classic Reflector

Dimensional drawing



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 28
data subject to change