

CorePro LEDbulb

CorePro LEDbulb ND 6.5-40W E27 A60 CL

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

PHILIPS

CorePro LEDbulb

Product data

• General Information

Cap-Base	E27 [E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	6.5-40W

• Light Technical

Colour Code	827 [CCT of 2700K]
Luminous Flux (Nom)	470 lm
Luminous Flux (Rated) (Nom)	470 lm
Colour Designation	Warm White (WW)
Colour Temperature, horizontal (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	72.3 lm/W
Color Consistency	6 steps
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

• Operating and Electrical

Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	6.5 W
Lamp Current (Nom)	55 mA
Wattage Equivalent	40 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

• Temperature

T-Case Maximum (Nom)	90 °C

• Controls and Dimming

Dimmable	No

• Mechanical and Housing

Bulb Finish	Clear (CL)


• Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label	A+
Energy Consumption kWh/1000 h	7 kWh

• Product Data

Full product code	871869651587700
Order product name	CorePro LEDbulb ND 6.5-40W E27 A60 CL
EAN/UPC - Product	8718696515877
Order code	51587700
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001182302
Net Weight (Piece)	0.076 kg

Dimensional drawing



5.5-40W, 6-40W, 6.5-40W E27 A60


LED ND 6.5-40W E27 A60 CL

Product	D	C
CorePro LEDbulb ND 6.5-40W E27 A60 CL	60 mm	110 mm

Dimensional drawing



Photometric data



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 28
data subject to change