

CorePro LEDluster

CorePro LEDluster ND 6-40W E14 827 P48 FR

The frosted CorePro LEDluster is designed for retrofit replacement of incandescent lamps. It is compatible with fixtures with an E27 or E14 holder. LEDlamps deliver huge energy savings and minimize maintenance cost.

PHILIPS

CorePro LEDluster

Product data

- General Information

Cap-Base	E14 [E14]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	6-40W

- Light Technical

Colour Code	827 [CCT of 2700K]
Luminous Flux (Nom)	470 lm
Luminous Flux (Rated) (Nom)	470 lm
Colour Designation	Warm White (WW)
Colour Temperature, horizontal (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	78 lm/W
Color Consistency	6 steps
Colour Rendering Index horiz (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

- Operating and Electrical

Input Frequency	50 Hz
Power (Rated) (Nom)	6 W
Lamp Current (Nom)	35 mA
Wattage Equivalent	40 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V

- Controls and Dimming

Dimmable	No

- Mechanical and Housing

Bulb Finish	Frosted (FR)


- Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label	A+
Energy Consumption kWh/1000 h	6 kWh

- Product Data

Full product code	871829176240900
Order product name	CorePro LEDluster ND 6-40W E14 827 P48 FR
EAN/UPC - Product	8718291762409
Order code	76240900
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929000273302
Net Weight (Piece)	0.030 kg

Dimensional drawing




E14 P48


LED ND 6-40W E14 827 P48 FR

Product	D	C
CorePro LEDluster ND 6-40W E14 827 P48 FR	48 mm	95 mm

Dimensional drawing



Photometric data



© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting