

CorePro LEDbulb

CorePro LEDbulb 4-32W E27 830

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

PHILIPS

CorePro LEDbulb

Product data

• General Information

Cap-Base	E27
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	4-32W

• Light Technical

Color Code	830 [CCT of 3000K]
Luminous Flux (Nom)	350 lm
Luminous Flux (Rated) (Nom)	350 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	87.50 lm/W
Color Consistency	6 steps
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

• Operating and Electrical

Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	4.0 W
Lamp Current (Nom)	35 mA
Wattage Equivalent	32 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

• Temperature

T-Case Maximum (Nom)	70 °C

• Controls and Dimming

Dimmable	No

• Mechanical and Housing

Bulb Finish	-


• Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	5 kWh

• Product Data

Full product code	871869641478100
Order product name	CorePro LEDbulb 4-32W E27 830
EAN/UPC - Product	8718696414781
Order code	929000248562
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929000248562
Net Weight (Piece)	0.081 kg

Dimensional drawing




LED 4-32W E27 830 220-240V

Product	D	C
CorePro LEDbulb 4-32W E27 830	56.3 mm	102.6 mm

Dimensional drawing



Photometric data



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting