

Halogen reflector

13298 52W GZ4 10V 1CT/10X5F

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 – the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.

PHILIPS

Halogen reflector

Product data

- General Information

Cap-Base	GZ4 [GZ4]
Philips Code	13298
ANSI Code	-
LIF Code	-
Operating Position	UNIVERSAL [Any or Universal (U)]
Main Application	Dental Hardening
Life To 50% Failures (Nom)	25 h
J Code	-

- Light Technical

Correlated Color Temperature (Nom)	3400 K
Color Rendering Index (Nom)	100

- Operating and Electrical

Power (Rated) (Nom)	52 W
Voltage (Nom)	10 V

- Controls and Dimming

Dimmable	Yes

- Mechanical and Housing

Bulb Material	Quartz-UV Open
Reflector Finish	Smooth
Filament Shape	-
Filament Dimensions WxH	-


- Luminaire Design Requirements

Bulb Temperature (Max)	900 °C
Pinch Temperature (Max)	400 °C
Working Distance WD	26 mm


- Product Data

Full product code	871150041021460
Order product name	13298 52W GZ4 10V 1CT/10X5F
EAN/UPC - Product	8711500410214
Order code	924008915804
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	50
Material Nr. (12NC)	924008915804
Net Weight (Piece)	0.012 kg

Dimensional drawing



GZ4



13298 52W GZ4 10V

Product	D	C
13298 52W GZ4 10V 1CT/10X5F	35 mm	37 mm

© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, January 12
data subject to change