

Medium Pressure

HOK 65/120 1CT/4

Medium Pressure Mercury lamps are available in a wide range with an arc length between 10 and 140 centimeter. The lamps can be fitted with various types of end fitting from our catalogue, or equipped with customer special fittings, cables or pins. The lamps are made from selected types of quartz glass, with transmission characteristics tailored to the application.Medium Pressure Mercury lamps contain sophisticated quantities of mercury bromides, providing a self-cleaning halogen cycle, to control the depreciation of UV radiation over lamp life.

Product data

• General Information

Cap-Base	SK32 [SK32]
Operating Position	P10 [Parallel +/-10D or Horizontal(HOR)]
Main Application	Industrial UV

• Operating and Electrical

Power (Rated) (Nom)	7800 W
Lamp Current (Nom)	10.3 A
Re-Ignition Time (Min) (Max)	10 min
Run Time (Max)	0.083 h
Consumed Watt Per Centimeter	120 W/cm
Ignition Time (Max)	10 s
Voltage (Max)	900 V
Voltage (Min)	780 V
Voltage (Nom)	840 V

• Controls and Dimming

Dimmable	No

• Mechanical and Housing

Cap-Base Information	Cable 250 mm

• Luminaire Design Requirements

Bulb Temperature (Max)	900 °C
Bulb Temperature (Min)	600 °C
Pinch Temperature (Max)	300 °C

• Product Data


Full product code	871150019363645
Order product name	HOK 65/120 1CT/4
EAN/UPC - Product	8711500193636
Order code	928189205104
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	928189205104
Net Weight (Piece)	0.225 kg

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

PHILIPS


Dimensional drawing




HOK /80 SK32

HOK 65/120


Product	D	O	C
HOK 65/120 1CT/4	21.92 mm	650 mm	735.4 mm







HOK 65/120

Product	D	O	C
HOK 65/120 1CT/4	21.92 mm	650 mm	735.4 mm



Photometric data







© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 23
data subject to change