

MSD Gold™ MiniFastFit

MSD Gold™ 300/2 MiniFastFit 1CT/16

The specially designed lamp base of the MSD Gold™ MiniFastFit means that this lamp can be replaced in just seconds, helping to ensure non-stop entertainment. In addition, the innovative gold plated pins ensure excellent current transfer to prolong lamp and lamp holder lifetimes and thereby reduce lamp replacement costs. The lamp's compact size allows for easy handling and compact fixture designs, while the very short arc provides a high perceived brightness and high beam intensity. What's more, the MSD Gold™ MiniFastFit has an extended lifetime, which further reduces lamp replacement costs.

Product data

• General Information

Cap-Base	PGJX28 [PGJX28]
Operating Position	UNIVERSAL [Any or Universal (U)]
Main Application	Entertainment
Life To 50% Failures (Nom)	2000 h
System Description	MiniFastFit

• Light Technical

Color Code	2
Luminous Flux (Nom)	21000 lm
Chromaticity Coordinate X (Nom)	292
Chromaticity Coordinate Y (Nom)	310
Correlated Color Temperature (Nom)	8600 K
Luminous Efficacy (rated) (Nom)	70 lm/W
Color Rendering Index (Nom)	73

• Operating and Electrical

Power (Rated) (Nom)	300 W
Lamp Current (Nom)	3.8 A
Ignition Supply Voltage (Min)	207 V

• Controls and Dimming

Dimmable	No

• Mechanical and Housing

Cap-Base Information	PGJX28

• Luminaire Design Requirements

Bulb Temperature (Max)	600 °C
Pinch Temperature (Max)	350 °C

• Product Data


Full product code	872790091257900
Order product name	MSD Gold™ 300/2 MiniFastFit 1CT/16
EAN/UPC - Product	8727900912579
Order code	928199805114
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	16
Material Nr. (12NC)	928199805114
Net Weight (Piece)	0.062 kg

PHILIPS

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Dimensional drawing




MSD Gold™ MiniFastFit


MSD GOLD 300/2 MiniFastFit

Product	D	O	L	L	L	C
MSD Gold™ 300/2 MiniFastFit 1CT/16	23 mm	5.0 mm	65.8 mm	67.8 mm	66.8 mm	126 mm



Photometric data







© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, March 11
data subject to change