PHILIPS

Lighting




# MASTER LED candles and lusters

## MAS LEDlustre DT 4-25W E27 P48 CL

Delivering incandescent-like sparkling light effects, MASTER LED candles and lusters are ideal for general and decorative lighting in the hospitality industry as well as in home environments. Mounted in full view in chandeliers, wall scones or modern luminaires, the clear or frosted glass candles and lusters fit all existing fixtures with an E14, B15, B22 or E27 socket, and enhance the aesthetic appeal of the chandelier or luminaire both when on and off, with their unique, eye-catching lens design. They produce a beautiful sparkling warm light that delivers huge energy savings and minimizes maintenance cost.

### Product data

| General Information | |
|---|---|
| Cap-Base | E27 [ E27] |
| Nominal Lifetime (Nom) | 25000 h |
| Switching Cycle | 50000X |
| Technical Type | 4-25W |

| Light Technical | |
|---|---|
| Color Code | 822-827 [ tunable warm white] |
| Luminous Flux (Nom) | 250 lm |
| Luminous Flux (Rated) (Nom) | 250 lm |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2200-2700 K |
| Luminous Efficacy (Rated) (Nom) | 65 lm/W |
| Color Consistency | <6 |
| Color Rendering Index (Nom) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |

| Operating and Electrical | |
|---|---|
| Input Frequency | 50 to 60 Hz |
| Power (Rated) (Nom) | 4 W |
| Lamp Current (Nom) | 25 mA |
| Wattage Equivalent | 25 W |
| Starting Time (Nom) | 0.5 s |
| Warm Up Time to 60% Light (Nom) | instant full light |
| Power Factor (Nom) | 0.7 |
| Voltage (Nom) | 220-240 V |

| Temperature | |
|---|---|
| T-Case Maximum (Nom) | 85 °C |

| Controls and Dimming | |
|---|---|
| Dimmable | Yes |

# MASTER LED candles and lusters


| Mechanical and Housing | |
|---|---|
| **Bulb Finish** | Clear |

| Approval and Application | |
|---|---|
| **Suitable For Accent Lighting** | No |
| **Energy Efficiency Label (EEL)** | A+ |
| **Energy Consumption kWh/1000 h** | 4 kWh |

| Product Data | |
|---|---|
| **Full product code** | 871869645380300 |

| | |
|---|---|
| **Order product name** | MAS LEDlustre DT 4-25W E27 P48 CL |
| **EAN/UPC - Product** | 8718696453803 |
| **Order code** | 929001140102 |
| **Numerator - Quantity Per Pack** | 1 |
| **Numerator - Packs per outer box** | 10 |
| **Material Nr. (12NC)** | 929001140102 |
| **Net Weight (Piece)** | 0.072 kg |


## Dimensional drawing





| Product | D | C |
|---|---|---|
| MAS LEDlustre DT 4-25W E27 P48 CL | 48 mm | 93 mm |

**LED DT 4-25W E27 P48 CL**

## Photometric data




**DT 4-25W E27 P48 CL 250lm**

**Lightcolor /827**




© 2018 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.lighting.philips.com
2018, May 18 - data subject to change