Hal with Reflector 93506 250 W 120 V

Halogen lamps with reflector MR16



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)





© 2018, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal voltage	120 V
Nominal wattage	250.00 W


Photometrical data

Color temperature	3150 K
Nominal luminous flux	340 lm

Light technical data

Focal length	152.5 mm

Dimensions & weight





Diameter	51.0 mm
Length	44.5 mm

Lifespan

Lifespan	175 h

Additional product data

Coating	Dichroic
Base (standard designation)	GY5.3

Capabilities

Burning position	s90

Certificates & standards

EEI – Energy Label	E

© 2018, OSRAM GmbH. All rights reserved.


Country specific categorizations

ANSI code	ENH
Order reference	93506

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300349930	OSRH93506	-	-	-

© 2018, OSRAM GmbH. All rights reserved.



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300349930	Hal with Reflector 93506 250 W 120 V	Folding carton box 1	57 mm x 45 mm x 47 mm	0.12 dm^3	35.00 g
4050300349947	Hal with Reflector 93506 250 W 120 V	Shipping carton box 24	194 mm x 135 mm x 153 mm	4.01 dm^3	945.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further technical information please refer to the following OSRAM brochure:
“Technology and applications, Low-voltage tungsten-halogen lamps”
“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, OSRAM GmbH. All rights reserved.