64111

ORIGINAL MINIWATT | Signal lamps for cars and motorcycles



Areas of application

- Interior lighting and reading lights

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Hard-glass technology
- High luminous flux
- Luminous flux constant throughout the life of the lamp
- High color temperature (white light)
- Original spare parts

© 2018, OSRAM GmbH. All rights reserved.

Technical data


Electrical data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Power input tolerance	±7.5 %
Test voltage	13.5 V

Photometrical data

Luminous flux	80 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	33.0 mm
Diameter	9 mm
Product weight	2.32 g

Lifespan

Lifespan B3	150 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	BA9s

Certificates & standards

ECE category	-

Country specific categorizations

© 2018, OSRAM GmbH. All rights reserved.

Product datasheet

Order reference	64111 5W 12V BA

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321095015	OSRA64111	-	4739538	-
4050300647258	OSRA64111BLI2	-	-	-

© 2018, OSRAM GmbH. All rights reserved.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095015	64111	Unpacked 1	23 mm x 9 mm x 11 mm	0.00 dm^3	4.25 g
4008321095022	64111	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm^3	36.20 g
4008321095039	64111	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm^3	231.00 g
4050300647258	64111	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm^3	14.62 g
4008321141576	64111	Shipping carton box 20	137 mm x 105 mm x 81 mm	1.17 dm^3	140.25 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, OSRAM GmbH. All rights reserved.