HALOLUX CERAM 150 W 230 V E27

HALOLUX CERAM | Compact halogen lamps for use in narrow luminaires



Areas of application

- General illumination
- Mood lighting
- Dining table lighting
- Lighting for reading
- Restaurants, hotels and similar prestigious applications

Product benefits

- More compact dimensions than ordinary light bulbs
- The same pleasant quality of light as that of an incandescent lamp
- No transformer required
- UV filter
- Contains no mercury

Product features

- 100 % dimmable
- Average life: 2,000 h
- Available in higher wattages up to 205 W

© 2018, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal wattage	150,00 W
Nominal voltage	230 V
Rated wattage	150,00 W
Power factor λ	1,00


Photometrical data

Rated color temperature	2900 K
Light color (designation)	Warm White
Rated luminous flux	2870 lm
Nominal luminous flux	2870 lm
Color rendering index Ra	100
Lumen main.fact.at end of nom.life time	0,80

Light technical data

Starting time	0,0 s
Warm-up time (60 %)	0,00 s

Dimensions & weight



Diameter	32,0 mm
Overall length	105,0 mm
Light center length (LCL)	75,0 mm
Length	105,0 mm
Outer bulb	T30
Maximum diameter	32,0 mm

Lifespan

© 2018, OSRAM GmbH. All rights reserved.

Rated lamp life time	2000 h
Number of switching cycles	50000

Additional product data

Base (standard designation)	E27
Mercury content	0,0 mg
Mercury-free	Sì

Capabilities

Burning position	Universale
Dimmable	Sì


Certificates & standards

Energy efficiency class	D
Energy consumption	150 kWh/1000h

Country specific categorizations

ILCOS	HSGST/C/UB-150-230-E27-75

Light Distribution



Spectral power distribution

© 2018, OSRAM GmbH. All rights reserved.

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321393869	HALOLUX CERAM 150 W 230 V E27	Shipping carton box 12 Pieces Folding carton box	180 mm x - x -	3.20 dm^3	984.60 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, OSRAM GmbH. All rights reserved.