STUDIOLINE 55 W/5600 K

STUDIOLINE | Compact fluorescent lamps for SSTV



Areas of application

- Film shooting
- Matched to use with electronic cameras

Product benefits

- Can be used with halogen or HMI lamps without any problems

Product features

- Special phosphor combination







© 2018, OSRAM GmbH. All rights reserved.

Technical data


Electrical data

Nominal voltage	100 V
Nominal wattage	55.00 W

Photometrical data

Nominal luminous flux	3800 lm
Luminous flux	3800 lm
Color temperature	5600 K
Luminous efficacy	69 lm/W

Dimensions & weight



Length	535.9 mm

Lifespan

Lifespan	8000 h [1)]

[1)] Failure rate 2 % the first 8000 h. This statement must be restricted only to attributable lamp faults.

Additional product data

Base (standard designation)	2G11

Capabilities

Burning position	Other

Certificates & standards

EEI – Energy Label	B

Country specific categorizations

© 2018, OSRAM GmbH. All rights reserved.

Product datasheet

ANSI code	Other

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300575278	OSRSTUDIO5511	-	-	-

© 2018, OSRAM GmbH. All rights reserved.

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300575278	STUDIOLINE 55 W/5600 K	Folding carton box 1	46 mm x 26 mm x 565 mm	0.68 dm^3	204.00 g
4050300575285	STUDIOLINE 55 W/5600 K	Shipping carton box 10	136 mm x 103 mm x 578 mm	8.10 dm^3	2173.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, OSRAM GmbH. All rights reserved.