PRODUCT DATASHEET
ENDURA STYLE Mini Cylinder 45 CM 4 W ST

ENDURA STYLE MINI CYLINDER | Stainless steel wall-luminaires and bollards with direct light



AREAS OF APPLICATION

- Outdoor use (only roofed areas)
- Building facades
- Entrance lighting
- Patios, balconies
- Pathway lighting
- Driveways

PRODUCT BENEFITS

- 5 years guarantee
- Easy and quick installation
- Energy-efficient thanks to LED technology

PRODUCT FEATURES

- Available with and without motion sensor
- Type of protection: IP44
- Housing made of Polycarbonate covered with stainless steel
- Available as wall and bollard luminaires



© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	4.00 W
Operating mode	Mains voltage
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	200 lm
Luminous efficacy	50 lm/W

Dimensions & weight



Diameter	76.0 mm
Height	450.0 mm
Product weight	570.00 g

Colors & materials

Body material	Stainless steel
Housing color	Steel
Product color	Steel

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

Lifespan

Lifespan	30000 h

© 2018, LEDVANCE GmbH. All rights reserved.

Additional product data

Mounting type	Standing
Product remark	Available from July 2018

Capabilities

Dimmable	No
Type of connection	Terminal

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

– Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075140905	ENDURA STYLE Mini Cylinder 45 CM 4 W ST	Shipping carton box 4	495 mm x 215 mm x 215 mm	22.88 dm^3	3194.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

- www.osram-lamps.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.