PRODUCT DATASHEET
ENDURA GARDEN Pole Mini 5 Lights DG

ENDURA GARDEN POLE | LED light chain with pole-shaped luminaires



AREAS OF APPLICATION

- Outdoor
- Gardens

PRODUCT BENEFITS

- Easy connection thanks to Plug and Play technology
- Pleasant, warm white light
- Energy-efficient thanks to LED technology

PRODUCT FEATURES

- 5 m cable between plug and first luminaire
- 0.5 m cable between luminaires
- Protection class (pole): IP65
- Protection class (power supply): IP44

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	6.50 W
Operating mode	External LED driver
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	150 lm
Luminous efficacy	23 lm/W

Dimensions & weight



Diameter	23.0 mm
Height	227.0 mm
Product weight	310.00 g
Cable length	5000 mm

Colors & materials

Body material	Polycarbonate (PC)
Housing color	Dark gray
Product color	Dark gray

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

Lifespan

© 2018, LEDVANCE GmbH. All rights reserved.

Lifespan	20000 h

Additional product data

Mounting location	Ground
Product remark	Available from July 2018

Capabilities

Dimmable	No
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP44
Standards	CE/REACH/RoHS

EQUIPMENT / ACCESSORIES

– Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075125056	ENDURA GARDEN Pole Mini 5 Lights DG	Shipping carton box 8	420 mm x 253 mm x 197 mm	20.93 dm^3	2970.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.