PRODUCT DATASHEET
ENDURA GARDEN Spot 4 Lights DG

ENDURA GARDEN SPOT | LED light chain with spot luminaires



AREAS OF APPLICATION

- Outdoor
- Gardens
- Spotlighting

PRODUCT BENEFITS

- Easy connection thanks to Plug and Play technology
- Pleasant, warm white light
- Energy-efficient thanks to LED technology

PRODUCT FEATURES

- 5 m cable between plug and first luminaire
- 0.5 m cable between luminaires
- Protection class (pole): IP65
- Protection class (power supply): IP44

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	16.50 W
Operating mode	External LED driver
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	650 lm
Luminous efficacy	39 lm/W

Dimensions & weight



Length	90.0 mm
Width	90.0 mm
Height	330.0 mm
Product weight	720.00 g
Cable length	5000 mm

Colors & materials

Body material	Polycarbonate (PC)
Housing color	Dark gray
Product color	Dark gray

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

© 2018, LEDVANCE GmbH. All rights reserved.

Lifespan

Lifespan	20000 h

Additional product data

Mounting location	Ground
Product remark	Available from July 2018

Capabilities

Dimmable	No
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP44
Standards	CE/REACH/RoHS

EQUIPMENT / ACCESSORIES

– Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075090330	ENDURA GARDEN Spot 4 Lights DG	Shipping carton box 6	457 mm x 314 mm x 246 mm	35.30 dm^3	5784.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.