PRODUCT DATASHEET
LED Office Line Grid DIM 600 mm 25 W 4000 K

LED OFFICE LINE GRIP DIM | Dimmable luminaire for ceiling and pendant mounting with a grid for glare reduction



AREAS OF APPLICATION

- Indoor applications
- Home offices
- General indoor illumination
- Kitchens, workspaces

PRODUCT BENEFITS

- Energy savings thanks to dimming in three steps
- Flexible mounting options
- Functional and minimalistic design

PRODUCT FEATURES

- Replacement for traditional T8 luminaires
- For ceiling mounting or pendant mounting
- Material: Aluminium (Housing), Polycarbonate (Diffusor)
- Lifetime: up to 25,000 h
- Click-DIM version: dimmable in three steps by repeated switching
- GRID Version with included louver grid
- Lengths available: 0.6 m, 1.2 m
- Color temperature: 4,000 K



© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	25.00 W
Operating mode	Mains voltage
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color rendering index Ra	≥80
Light color (designation)	Cool White
Luminous flux	2000 lm
Luminous efficacy	80 lm/W

Dimensions & weight



Length	595.0 mm
Width	134.0 mm
Height	46.0 mm
Product weight	827.00 g

Colors & materials

Body material	Aluminum
Housing color	White
Product color	White

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

Lifespan

© 2018, LEDVANCE GmbH. All rights reserved.

Lifespan	25000 h

Additional product data

Mounting type	Surface

Capabilities

Dimmable	Yes
Type of connection	Terminal

Certificates & standards

Protection class	I
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

– Pendant mounting accessory included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075123779	LED Office Line Grid DIM 600 mm 25 W 4000 K	Shipping carton box 8	645 mm x 294 mm x 214 mm	40.58 dm^3	7882.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.