PRODUCT DATASHEET
PLANON PURE 60x60 36 W 830

PLANON Pure | Slim panel luminaires for recessed ceiling mounting



AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- For recessed mounting

PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Recessed ceiling mounting

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	36.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	3200 lm

Dimensions & weight



Length	595.0 mm
Width	595.0 mm
Height	10.5 mm
Product weight	2866.00 g

Colors & materials

Body material	Metal
Housing color	White
Product color	White

Additional product data

Mounting type	Recessed
Mounting location	Ceiling

Capabilities

© 2018, LEDVANCE GmbH. All rights reserved.

Dimmable	No
Type of connection	Cable, 2-pole

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/RoHS

EQUIPMENT / ACCESSORIES

– Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075035348	PLANON PURE 60x60 36 W 830	Shipping carton box 4	647 mm x 267 mm x 688 mm	118.85 dm^3	14926.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.