PRODUCT DATASHEET
PANAN Alu CCT White

PANAN Alu CCT | Aluminium table luminaires with adjustable light temperature



AREAS OF APPLICATION

- Living areas
- Tables, Desks

PRODUCT BENEFITS

- Adjustable color temperature for a wide range of applications
- Provides cold white light for an activating and warm white light for a relaxing atmosphere
- Switching and three step dimming via a touch sensitive sensor on the luminaire base
- Made of high quality aluminum

PRODUCT FEATURES

- Table luminaire with minimalistic design and adjustable luminaire head
- Adjustable light color: 3000 K, 4300 K, 6000 K
- Material: Aluminium (Housing), Polycarbonate (Diffusor)



© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	7.00 W
Operating mode	Mains voltage
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000/4300/6500 K
Color rendering index Ra	≥80
Light color (designation)	Warm White/Cool White/Daylight
Luminous flux	310 lm
Luminous efficacy	44 lm/W

Dimensions & weight



Length	407.0 mm
Width	170.0 mm
Height	430.0 mm
Product weight	718.00 g
Cable length	1800 mm

Colors & materials

Body material	Aluminum/Plastic
Housing color	White
Product color	White
Cover material	Plastic

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

© 2018, LEDVANCE GmbH. All rights reserved.

Lifespan

Lifespan	25000 h

Additional product data

Product remark	Available from August 2018

Capabilities

Dimmable	Yes
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

– External mains adapter (cable length: 1.5 m) included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075125582	PANAN Alu CCT White	Shipping carton box 4	365 mm x 365 mm x 465 mm	61.95 dm^3	4050.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.