PRODUCT DATASHEET
LINEAR LED Slim RGBW 30 cm

Linear LED Slim RGBW | High voltage undercabinet luminaires with RGBW technology



AREAS OF APPLICATION

- Shelf and undercabinet lighting

PRODUCT BENEFITS

- Direct connection to AC power supply thanks to integrated control gear
- Slim and sleek design
- Homogenous light distribution
- Easy and fast mounting on nearly every surface (adhesive tape or screws)

PRODUCT FEATURES

- Luminous flux: up to 350 lm
- Switch on and off, color changing and dimming via remote control
- Material: aluminum
- Color: silver
- Available in two lengths: 30 cm and 50 cm
- Connection of up to 10 luminaires (30 cm version) and up to 5 luminaires (50 cm version) possible



© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	4.00 W
Operating mode	Integrated LED driver
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	230 lm
Luminous efficacy	58 lm/W

Dimensions & weight



Length	300.0 mm
Width	49.0 mm
Height	18.0 mm
Product weight	315.00 g
Cable length	1500 mm

Colors & materials

Body material	Aluminum/Polycarbonate (PC)
Housing color	Gray
Product color	Gray
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

© 2018, LEDVANCE GmbH. All rights reserved.

Lifespan

Lifespan	30000 h

Additional product data

Mounting type	Surface
Mounting location	Cabinet undersides
Product remark	Available from July 2018

Capabilities

Dimmable	Yes
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/RoHS/EAC/REACH

EQUIPMENT / ACCESSORIES

- External cable (1.5 m) included
- Fixed connector and flexible connecting cable included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075126206	LINEAR LED Slim RGBW 30 cm	Shipping carton box 8	416 mm x 303 mm x 98 mm	12.35 dm^3	3714.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.