PRODUCT DATASHEET
LED BULKHEAD 11 W 840 BK

LED BULKHEAD | Wall and ceiling luminaires



AREAS OF APPLICATION

- Outdoor
- Basements, garages, warehouses

PRODUCT BENEFITS

- Easy and quick installation
- Energy-efficient thanks to LED technology

PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP54



© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	11.00 W
Operating mode	Mains voltage
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color rendering index Ra	≥80
Light color (designation)	Cool White
Luminous flux	840 lm
Luminous efficacy	76 lm/W

Dimensions & weight



Length	216.0 mm
Width	143.0 mm
Height	79.0 mm
Product weight	245.00 g

Colors & materials

Body material	Polycarbonate (PC)
Housing color	Black
Product color	Black
Cover material	ACRYLONITRILE BUTADIENE STYR

Temperatures & operating conditions

Ambient temperature range	-20…40 °C

© 2018, LEDVANCE GmbH. All rights reserved.

Lifespan

Lifespan	20000 h

Additional product data

Mounting type	Surface
Product remark	Available from July 2018

Capabilities

Dimmable	No
Type of connection	Terminal

Certificates & standards

Protection class	II
Type of protection	IP54
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

– Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075150607	LED BULKHEAD 11 W 840 BK	Shipping carton box 6	315 mm x 273 mm x 245 mm	21.07 dm^3	2376.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.