PRODUCT DATASHEET
Linear LED Flat 6 W 3000 K

Linear LED Flat | Slim undercabinet luminaire for surface mounting



AREAS OF APPLICATION

- Undercabinet lighting

PRODUCT BENEFITS

- Connection of up to 43 (ECO version) or 18 (sensor Version) luminaires in a row
- Various accessories included: cables and connectors

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	6.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	300 lm

Dimensions & weight

Length	370.0 mm
Width	67.0 mm
Height	22.0 mm
Product weight	340.00 g

Colors & materials

Body material	Aluminum
Housing color	Silver
Product color	Silver
Cover material	Polycarbonate (PC)

Lifespan

Lifespan	20000 h

Additional product data

Mounting type	Surface
Mounting location	Cabinet undersides

Capabilities

Dimmable	No
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP20

LOGISTICAL DATA

© 2018, LEDVANCE GmbH. All rights reserved.

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899971394	Linear LED Flat 6 W 3000 K	Shipping carton box 20	565 mm x 320 mm x 185 mm	33.45 dm^3	9061.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.