PRODUCT DATASHEET
LINEAR LED CORNER 12 W 3000 K

Linear LED Corner | Modular undercabinet luminaire system



AREAS OF APPLICATION

- Undercabinet lighting
- For indoor use only

PRODUCT BENEFITS

- Easy and quick series connection thanks to simple plug system
- Very homogenous light
- Connection of up to 15 luminaires in a row

PRODUCT FEATURES

- Housing material: aluminum

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	12.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Mains frequency	50 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	760 lm

Dimensions & weight



Length	478.0 mm
Width	90.0 mm
Height	44.0 mm
Product weight	499.00 g
Cable length	1000 mm

Colors & materials

Body material	Aluminum
Housing color	Silver
Product color	Silver
Cover material	Polycarbonate (PC)

Lifespan

Lifespan	25000 h

© 2018, LEDVANCE GmbH. All rights reserved.

Additional product data

Mounting type	Surface
Mounting location	Cabinet undersides

Capabilities

Dimmable	No
Type of connection	Plug, EU

Certificates & standards

Protection class	I
Type of protection	IP20
Standards	CE/TÜV

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- Modular lighting system expandable with USB socket and Bluetooth speaker

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075818439	LINEAR LED CORNER 12 W 3000 K	Shipping carton box 6	650 mm x 125 mm x 310 mm	25.19 dm^3	4369.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.