PRODUCT DATASHEET
LinearLED Mobile USB 200

Linear LED Mobile USB | Undercabinet luminaire for flexible mounting, with motion sensor, battery-powered, rechargeable



AREAS OF APPLICATION

- For a very large range of uses
- For indoor use only
- Shelves, furniture integration or under cabinet mounting

PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and quick installation

PRODUCT FEATURES

- Housing material: aluminum
- Integrated light and motion sensor
- Switch for Auto- or On/Off-Mode
- Battery rechargeable via USB cable

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	1.00 W
Nominal voltage	4.2 V
Mains frequency	0 Hz


Photometrical data

Color temperature	4000 K
Color rendering index Ra	>80
Light color (designation)	Cool White
Luminous flux	69 lm
Luminous efficacy	69 lm/W

Luminaire sensor data

Type of sensor	Motion / Light
Sensor technology	Passive infrared (PIR)

Dimensions & weight



Length	200.0 mm
Width	50.0 mm
Height	22.0 mm
Product weight	212.00 g

Colors & materials

Body material	Aluminum
Housing color	Silver
Product color	Silver

Temperatures & operating conditions

© 2018, LEDVANCE GmbH. All rights reserved.

Ambient temperature range	-20...40 °C

Lifespan

Lifespan	25000 h

Additional product data

Mounting type	Surface
Mounting location	Wall

Capabilities

Dimmable	No

Certificates & standards

Protection class	III
Type of protection	IP20

© 2018, LEDVANCE GmbH. All rights reserved.

EQUIPMENT / ACCESSORIES

– All required accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075026667	LinearLED Mobile USB 200	Blister 1	23 mm x 140 mm x 400 mm	1.29 dm^3	251.00 g
4058075026674	LinearLED Mobile USB 200	Shipping carton box 6	413 mm x 161 mm x 158 mm	10.51 dm^3	1755.00 g
4058075043220	LinearLED Mobile USB 200	Shipping carton box 36	500 mm x 430 mm x 330 mm	70.95 dm^3	10599.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.