PRODUCT DATASHEET
NOXLITE LED SPOT Sensor 2X8 W 6000 K GR

NOXLITE LED SPOT Sensor | Outdoor LED wall luminaires



AREAS OF APPLICATION

- Outdoor
- Garages
- Patios, balconies

PRODUCT BENEFITS

- Functional design
- High light output thanks to high-power LED
- Quick and simple installation
- Compact and lightweight

PRODUCT FEATURES

- Very bright and functional outdoor LED luminaires
- Motion and day/night sensor with time settings from 5 s...10 min
- Type of protection: IP44
- Adjustable (down 70°, left/right 30°)



© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	18 W
Operating mode	ECG
Nominal voltage	100…240 V
Mains frequency	50…60 Hz

Photometrical data

Color temperature	6000 K
Color rendering index Ra	>60
Light color (designation)	Daylight
Luminous flux	600 lm
Luminous efficacy	68 lm/W

Dimensions & weight

Length	170.0 mm
Width	180.0 mm
Height	90.0 mm
Product weight	503.00 g

Colors & materials

Product color	Anthracite

Temperatures & operating conditions

Ambient temperature range	-20…+40 °C

Lifespan

Lifespan	30000 h

Additional product data

Number of lighting outlets	2
Equipped with lamp	Yes

Capabilities

Dimmable	No
Adjustable	Yes
Type of connection	Terminal, 2-pole, max. 2,5 mm²

Certificates & standards

Protection class	II

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

Type of protection	IP44
Standards	CE

COUNTRY SPECIFIC INFORMATION

Product code	METEL-Code	SEG number	STK number	UK Org
4008321981998	-	7700895	4107783	-

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321981998	NOXLITE LED SPOT Sensor 2X8 W 6000 K GR	Folding carton box 1	255 mm x 128 mm x 218 mm	7.12 dm^3	860.58 g
4008321982025	NOXLITE LED SPOT Sensor 2X8 W 6000 K GR	Shipping carton box 4	457 mm x 305 mm x 285 mm	39.72 dm^3	4167.32 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.