PRODUCT DATASHEET
NOXLITE SMART UPDOWN

NOXLITE SMART UPDOWN | Outdoor LED wall luminaires



AREAS OF APPLICATION

- Driveways
- Garages
- Terraces
- Paths
- Gardens

PRODUCT BENEFITS

- Smart grouping with master/slave arrangement
- Energy-efficient thanks to LED technology
- Easy installation with fast connection

PRODUCT FEATURES

- Type of protection: IP55
- Invisible integrated high-frequency and light sensor



© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	9 W
Operating mode	ECG
Nominal voltage	220…240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm white
Luminous flux	350 lm
Luminous efficacy	79 lm/W

Dimensions & weight

Width	86.0 mm
Height	230.0 mm
Product weight	612.00 g

Colors & materials

Product color	Anthracite

Temperatures & operating conditions

Ambient temperature range	-20…+40 °C

Additional product data

Number of lighting outlets	2

Capabilities

Type of connection	Terminal, 2-pole, max. 2,5 mm²

Certificates & standards

Protection class	II
Type of protection	IP55
Standards	CE

COUNTRY SPECIFIC INFORMATION

Product code	METEL-Code	SEG number	STK-Number	UK Org
4052899934337	-	7702162	-	-

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899934337	NOXLITE SMART UPDOWN	Folding carton box 1	119 mm x 90 mm x 266 mm	2.85 dm^3	738.00 g
4052899934368	NOXLITE SMART UPDOWN	Shipping carton box 4	263 mm x 202 mm x 300 mm	15.94 dm^3	3148.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.