PRODUCT DATASHEET
SIG 1534 LL

Standard high-voltage longlife lamps, road traffic



AREAS OF APPLICATION

- Road traffic signalling systems

© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA


Electrical data

Nominal wattage	40.00 W
Nominal voltage	235 V
Test voltage	235 V

Photometrical data

Nominal luminous flux	230 lm
Color temperature	2700 K
Luminous flux	230 lm
Color rendering index Ra	100

Dimensions & weight





E27
IEC 7004-21

Diameter	62.0 mm
Overall length	107.0 mm
Light center length (LCL)	69.0 mm [1)]

[1)] Distance from the coil to the top of base

Additional product data

Base (standard designation)	E27
Product remark	Not for new designs

Capabilities

Burning position	s135 [1)]

[1)] Only the permissible burning position may be used otherwise the lamp will fail prematurely

Certificates & standards

Energy efficiency class	E

Country-specific categorizations

© 2018, LEDVANCE GmbH. All rights reserved.

Order reference	SIG 1534 LL CL

COUNTRY SPECIFIC INFORMATION

Product code	METEL-Code	SEG-No.	STK number	UK Org
4008321044396	-	-	4730140	-

© 2018, LEDVANCE GmbH. All rights reserved.

SAFETY ADVICE

Use only in signal equipment/luminaires that are specially designed for the purpose.
Protect the lamps against moisture during operation and installation.



LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321044396	SIG 1534 LL	Unpacked 1	45 mm x 31 mm x 31 mm	0.04 dm^3	37.00 g
4050300613703	SIG 1534 LL	Shipping carton box 100	400 mm x 381 mm x 264 mm	40.23 dm^3	3965.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.