PRODUCT DATASHEET
TRESOL 4.5 W SI

TRESOL | Under cabinet lights



AREAS OF APPLICATION

- Suspended ceilings
- Shelves
- Glass cabinets
- Living rooms
- Dining rooms
- Kitchens

PRODUCT BENEFITS

- Ready for installation
- Exceptionally bright
- 2 in 1 Design: recessed mounting or surface mounting with add-on kit
- High brightness thanks to LED technology

PRODUCT FEATURES

- Color temperature: 3,000 K (Warm White)
- High-power LED downlight with integrated control gear
- Color: matt silver or white



© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

TECHNICAL DATA

Electrical data

Nominal wattage	4.5 W
Operating mode	ECG
Nominal voltage	220…240 V
Mains frequency	50…60 Hz

Photometrical data

Color temperature	3200 K
Color rendering index Ra	>80
Light color (designation)	Warm white
Luminous flux	165 lm
Luminous efficacy	37 lm/W

Dimensions & weight

Diameter	72.5 mm
Height	28.0 mm
Product weight	119.00 g

Colors & materials

Product color	White/Silver
Reflector material	Plastic

Temperatures & operating conditions

Ambient temperature range	≤ +25 °C

Lifespan

Lifespan	25000 h

Additional product data

Equipped with lamp	Yes

Capabilities

Dimmable	No
Adjustable	No
With on/off switch	No
Type of connection	Terminal, 2-pole, max. 2,5 mm²

Certificates & standards

Standards	CE

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

Protection class	II
Type of protection	IP20
Protection against ignition and fire	MM

COUNTRY SPECIFIC INFORMATION

Product code	METEL code	SEG number	STK number	UK Org
4008321587220	OSRTRESOL1X45	7459597	4107741	-

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321587220	TRESOL 4.5 W SI	Folding carton box 1	165 mm x 57 mm x 110 mm	1.03 dm^3	190.68 g
4008321587237	TRESOL 4.5 W SI	Shipping carton box 6	230 mm x 178 mm x 207 mm	8.47 dm^3	1274.08 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, products of OSRAM GmbH, distributed by LEDVANCE GmbH.
All rights reserved.