PRODUCT DATASHEET
TruSys ENERGY RAIL 3000 5X2,5

TruSys ENERGY RAIL | 5-pole energy rails



AREAS OF APPLICATION

- Industry halls, high rack warehouse, garages, hardware stores
- Discounters, supermarkets

PRODUCT BENEFITS

- Simple installation
- High flexibility thanks to three available lengths (1500 mm, 3000 mm, 4500 mm)
- High-value design
- Lightweight design

PRODUCT FEATURES

- Through wired with 5 core cable
- Different lenghts available
- Electrical connection internal at the first luminaire, no external connection unit required
- Anodized surface
- Rigid housing made of aluminum



© 2018, LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & weight



Length	3070 mm
Width	67.0 mm
Height	44.0 mm
Product weight	3000.00 g

Colors & materials

Product color	Aluminum
Body material	Aluminum
Cover material	Polymethyl methacrylate (PMMA)

Additional product data

Mounting location	Ceiling
Product remark	Available from July 2018

Certificates & standards

Standards	CE

EQUIPMENT / ACCESSORIES

– Various accessories available

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075100312	TruSys ENERGY RAIL 3000 5X2,5	Shipping carton box 2	3080 mm x 149 mm x 64 mm	29.37 dm^3	7360.00 g

© 2018, LEDVANCE GmbH. All rights reserved.

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2018, LEDVANCE GmbH. All rights reserved.