PHILIPS

Lighting



Attractive, dimmable LED alternative to popular incandescents.

A-Shape LED

Philips A-shape Dimmable LED lamps are the smart LED alternative to standard incandescents. The unique lamp design provides omi-directional light with excellent dimming performance.

Benefits

- 12.5W and 8W A19 lamps are ENERGY STAR®qualified
- Long life properties-- lowers maintenance costs by reducing re-lamp frequency
- Will not fade colors, avoids inventory spoilage
- Contains no mercury
- Emits virtually no UV/IR light in the beam
- 3-year or 5-year limited warranty depending upon operating hours

Features

- 12.5W A19, 8W A19 and 17W A21 versions available
- Smooth dimming to 10% of full light levels*
- Remote phosphor (yellow) disappears when energized to create even, soft white light
- 25,000-hour rated average life⁺
- Instant-on light
- [*]Dimmable when using leading edge dimmers (see Philips Website: www.philips.com/ledtechguide for compatible leading edge dimmers.)
- ⁺Rated average life based on engineering testing and probability analysis.

A-Shape LED

Application

- Ideal for decorative and ambient lighting in retail outlets, hotels, restaurants, multi-unit residences and government buildings.

Versions



E27 A60 Frosted



E27 A60 Frosted



LEDbulb E26 A30 Frosted



LEDbulb E26 A35 Frosted



LEDbulb E26 A40 Frosted



Single Contact Medium Screw A19 (A19) Frosted



Single Contact Medium Screw A19 (A19) Frosted



E27 A 110mm Frosted

A-Shape LED

Versions



E27 A 80mm Clear



Single Contact Medium Screw A21 (A21) Frosted



Single Contact Medium Screw A19 (A19) Frosted



Single Contact Medium Screw A19 (A19) Frosted



Single Contact Medium Screw A19 (A19) Frosted



GU24 A19 (A19) Frosted



GU24 A21 (A21) Frosted



Single Contact Medium Screw A19 (A19) Frosted


A-Shape LED

Versions




E26 A21 FR


Dimensional drawing



Product	D	C
11A19/LED/850/FR/P/ND 4/2FB	60 mm	110 mm
7A19/LED/827/FR/P/ND 4/2FB	60 mm	110 mm
11A19/LED/850/FR/P/ND 4/6FB	60 mm	110 mm
11A19/LED/827/FR/P/ND 4/6FB	60 mm	110 mm
11A19/LED/827/FR/P/ND 4/2FB	60 mm	110 mm
7A19/LED/850/FR/P/ND 4/2FB	60 mm	110 mm
11A19/LED/850/FR/P/ND 4/4FB	60 mm	110 mm




Product	D	C
10A19/LED/827/FR/P/ND 4/2FB	60 mm	106 mm
10A19/LED/850/FR/P/ND 4/2FB	60 mm	106 mm
11A19/LED/827/FR/P/ND 4/4FB	60 mm	106 mm
10A19/LED/850/FR/P/ND 4/4FB	60 mm	106 mm




Product	D	C
13.5A19/LED/827/FR/P/ND 4/2FB	60 mm	117 mm
13.5A19/LED/850/FR/P/ND 4/2FB	60 mm	117 mm
13.5A19/LED/850/FR/P/ND 4/4FB	60 mm	117 mm
14A19/LED/827/FR/P/ND 4/4FB	60 mm	117 mm
14A19/LED/850/FR/P/ND 4/2FB	60 mm	117 mm
14A19/LED/827/FR/P/ND 4/2FB	60 mm	117 mm


Dimensional drawing



Product	D	C
9A19/LED/850/FR/P/ND 4/6FB	60 mm	104 mm
8.5A19/LED/850/FR/P/ND 4/2FB	60 mm	104 mm
9A19/LED/850/FR/P/ND 4/4FB	60 mm	104 mm
6.5A19/LED/827/FR/P/ND 4/4FB	60 mm	104 mm
5A19/LED/850/FR/P/ND 4/2FB	60 mm	104 mm
5.5A19/LED/850/FR/P/ND 4/4FB	60 mm	104 mm
8.5A19/LED/827/FR/P/ND 4/2FB	60 mm	104 mm
10A19/LED/827/FR/P/ND 4/4FB	60 mm	104 mm
10A19/LED/827/FR/P/ND 4/6FB	60 mm	104 mm
5A19/LED/827/FR/P/ND 4/2FB	60 mm	104 mm
9A19/LED/850/FR/P/ND 4/4FB	60 mm	104 mm
9A19/LED/850/FR/P/ND 4/6FB	60 mm	104 mm
9A19/LED/827/FR/P/ND 4/6FB	60 mm	104 mm
9A19/LED/827/FR/P/ND 4/4FB	60 mm	104 mm
9A19/LED/850/FR/P/ND 4/2FB	60 mm	104 mm
9A19/LED/827/FR/P/ND 4/2FB	60 mm	104 mm
6A19/LED/850/FR/P/ND 4/2FB	60 mm	104 mm
6A19/LED/827/FR/P/ND 4/2FB	60 mm	104 mm




Product	D	C
24A35/LED/865/FR/P/E26E39/ND 4/1FB	110 mm	200 mm




Product	D	C
LED SSW 60W A60 E27 WW FR ND 2CT/4	61 mm	111 mm

A-Shape LED


Dimensional drawing




Product	D	C
42A40/LED/865/FR/P/E26E39/ND 4/1FB	125 mm	265 mm



Product	D	C
20A30/LED/865/FR/P/E26/ND 4/1FB	95 mm	185 mm



Product	D	C
15A19/LED/850/FR/P/ND 4/2FB	60 mm	110 mm
15A19/LED/827/FR/P/ND 4/2FB	60 mm	110 mm




Product	D	C
LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	60 mm	110 mm
LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	60 mm	110 mm

A-Shape LED


Dimensional drawing




Product	D	C
LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	60 mm	110 mm



Product	D	C
LED 200W A110 E27 WW 230V FR ND 1PF/6	110 mm	194 mm
LED 200W A110 E27 CW 230V FR ND 1PF/6	110 mm	194 mm
LED 200W A110 E27 CDL 230V FR ND 1PF/6	110 mm	194 mm




Product	D	C
Disco LEDBulb 5W RGB 120V E27 1PF/6	80 mm	138 mm




Product	D	C
14A21/LED/927/P/E26/3WAY ND 4/1FB T20	70.6 mm	133.1 mm
18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	70.6 mm	133.1 mm
14A21/LED/927/P/E26/3WAY ND 4/1FB T20	70.6 mm	133.1 mm
18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	70.6 mm	133.1 mm

A-Shape LED


Dimensional drawing




Product	D	C
8.8A19/AMB/927/ND D2D 4/1FB T20	61.5 mm	109.8 mm



Product	D	C
16A21/PER/930/P/GU24/DIM 6/1FB T20	77 mm	140 mm



Product	D	C
8.8A19/PER/930/P/GU24/DIM 6/1FB T20	60 mm	106 mm



Product	D	C
29A21/PER/827-22/P/E26/WG/HO 4/1FB	77 mm	138 mm
29A21/PER/850/P/E26/DIM/HO 4/1FB	77 mm	138 mm

Light Technical

Llmf At End Of Nominal Lifetime (Nom)	70 %

A-Shape LED

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	11 kWh	A+
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	10 kWh	A+
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	13 kWh	A+
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	8 kWh	A+
929001854715	20A30/LED/865/FR/P/E26/ND 4/1FB	- kWh	Not applicable
929001854815	24A35/LED/865/FR/P/ E26E39/ND 4/1FB	- kWh	Not applicable
929001854915	42A40/LED/865/FR/P/ E26E39/ND 4/1FB	- kWh	Not applicable
929001957515	7A19/LED/827/FR/P/ND 4/2FB	- kWh	Not applicable
929001957615	11A19/LED/827/FR/P/ND 4/2FB	- kWh	Not applicable
929001957675	11A19/LED/827/FR/P/ND 4/6FB	- kWh	Not applicable
929001957915	7A19/LED/850/FR/P/ND 4/2FB	- kWh	Not applicable
929001958015	11A19/LED/850/FR/P/ND 4/2FB	- kWh	Not applicable
929001958045	11A19/LED/850/FR/P/ND 4/4FB	- kWh	Not applicable
929001958075	11A19/LED/850/FR/P/ND 4/6FB	- kWh	Not applicable
929001957815	15A19/LED/827/FR/P/ND 4/2FB	- kWh	Not applicable
929001958215	15A19/LED/850/FR/P/ND 4/2FB	- kWh	Not applicable
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	30 kWh	A+
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	28 kWh	A+
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	28 kWh	A+
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	- kWh	Not applicable
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	-	-
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	-	-
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	-	-
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	-	-

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929002311104	5A19/LED/827/FR/P/ND 4/2FB	-	-
929002311115	6A19/LED/827/FR/P/ND 4/2FB	6 kWh	Not applicable
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	-	-
929002311204	5A19/LED/850/FR/P/ND 4/2FB	-	-
929002311215	6A19/LED/850/FR/P/ND 4/2FB	6 kWh	Not applicable
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	-	-
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	-	-
929002311315	9A19/LED/827/FR/P/ND 4/2FB	9 kWh	Not applicable
929002311333	10A19/LED/827/FR/P/ND 4/4FB	-	-
929002311345	9A19/LED/827/FR/P/ND 4/4FB	9 kWh	Not applicable
929002311363	10A19/LED/827/FR/P/ND 4/6FB	-	-
929002311375	9A19/LED/827/FR/P/ND 4/6FB	9 kWh	Not applicable
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	-	-
929002311415	9A19/LED/850/FR/P/ND 4/2FB	9 kWh	Not applicable
929002311433	9A19/LED/850/FR/P/ND 4/4FB	-	-
929002311445	9A19/LED/850/FR/P/ND 4/4FB	9 kWh	Not applicable
929002311463	9A19/LED/850/FR/P/ND 4/6FB	-	-
929002311475	9A19/LED/850/FR/P/ND 4/6FB	9 kWh	Not applicable
929002311504	10A19/LED/827/FR/P/ND 4/2FB	-	-
929002311533	11A19/LED/827/FR/P/ND 4/4FB	-	-
929002311603	10A19/LED/850/FR/P/ND 4/2FB	-	-
929002311633	10A19/LED/850/FR/P/ND 4/4FB	-	-
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	-	-
929002311715	14A19/LED/827/FR/P/ND 4/2FB	14 kWh	Not applicable
929002311733	14A19/LED/827/FR/P/ND 4/4FB	-	-
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	-	-
929002311815	14A19/LED/850/FR/P/ND 4/2FB	14 kWh	Not applicable
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	-	-
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	-	-
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	-	-
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	-	-
929002343003	29A21/PER/ 827-22/P/E26/WG/HO 4/1FB	-	-
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	-	-

Controls and Dimming

Order Code	Full Product Name	Dimmable
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	No
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	No
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	No
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	No
929001854715	20A30/LED/865/FR/P/E26/ND 4/1FB	No

Order Code	Full Product Name	Dimmable
929001854815	24A35/LED/865/FR/P/E26E39/ND 4/1FB	No
929001854915	42A40/LED/865/FR/P/E26E39/ND 4/1FB	No
929001957515	7A19/LED/827/FR/P/ND 4/2FB	No
929001957615	11A19/LED/827/FR/P/ND 4/2FB	No
929001957675	11A19/LED/827/FR/P/ND 4/6FB	No

A-Shape LED

Order Code	Full Product Name	Dimmable
929001957915	7A19/LED/850/FR/P/ND 4/2FB	No
929001958015	11A19/LED/850/FR/P/ND 4/2FB	No
929001958045	11A19/LED/850/FR/P/ND 4/4FB	No
929001958075	11A19/LED/850/FR/P/ND 4/6FB	No
929001957815	15A19/LED/827/FR/P/ND 4/2FB	No
929001958215	15A19/LED/850/FR/P/ND 4/2FB	No
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	No
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	No
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	No
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	No
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	No
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	No
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	No
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	No
929002311104	5A19/LED/827/FR/P/ND 4/2FB	No
929002311115	6A19/LED/827/FR/P/ND 4/2FB	No
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	No
929002311204	5A19/LED/850/FR/P/ND 4/2FB	No
929002311215	6A19/LED/850/FR/P/ND 4/2FB	No
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	No
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	No
929002311315	9A19/LED/827/FR/P/ND 4/2FB	No
929002311333	10A19/LED/827/FR/P/ND 4/4FB	No
929002311345	9A19/LED/827/FR/P/ND 4/4FB	No

Order Code	Full Product Name	Dimmable
929002311363	10A19/LED/827/FR/P/ND 4/6FB	No
929002311375	9A19/LED/827/FR/P/ND 4/6FB	No
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	No
929002311415	9A19/LED/850/FR/P/ND 4/2FB	No
929002311433	9A19/LED/850/FR/P/ND 4/4FB	No
929002311445	9A19/LED/850/FR/P/ND 4/4FB	No
929002311463	9A19/LED/850/FR/P/ND 4/6FB	No
929002311475	9A19/LED/850/FR/P/ND 4/6FB	No
929002311504	10A19/LED/827/FR/P/ND 4/2FB	No
929002311533	11A19/LED/827/FR/P/ND 4/4FB	No
929002311603	10A19/LED/850/FR/P/ND 4/2FB	No
929002311633	10A19/LED/850/FR/P/ND 4/4FB	No
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	No
929002311715	14A19/LED/827/FR/P/ND 4/2FB	No
929002311733	14A19/LED/827/FR/P/ND 4/4FB	No
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	No
929002311815	14A19/LED/850/FR/P/ND 4/2FB	No
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	No
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	Yes
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	Yes
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	No
929002343003	29A21/PER/827-22/P/E26/WG/HO 4/1FB	Yes
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	Yes

Operating and Electrical

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Wattage Equivalent	Power (Rated) (Nom)	Starting Time (Nom)
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	50 to 60 Hz	220-240 V	75 W	11 W	0.5 s
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	50 to 60 Hz	220-240 V	75 W	10 W	0.5 s
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	50 to 60 Hz	220-240 V	100 W	12.5 W	0.5 s
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	50 to 60 Hz	220-240 V	60 W	8, 5, 2 W	0.5 s
929001854715	20A30/LED/865/FR/P/E26/ND 4/1FB	60 Hz	120 V	160 W	20 W	1 s
929001854815	24A35/LED/865/FR/P/E26E39/ND 4/1FB	60 Hz	120 V	200 W	24 W	1 s
929001854915	42A40/LED/865/FR/P/E26E39/ND 4/1FB	60 Hz	120 V	300 W	42 W	1 s
929001957515	7A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	40 W	7 W	0.5 s
929001957615	11A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	60 W	11 W	0.5 s
929001957675	11A19/LED/827/FR/P/ND 4/6FB	60 Hz	120 V	60 W	11 W	0.5 s
929001957915	7A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	40 W	7 W	0.5 s
929001958015	11A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	60 W	11 W	0.5 s
929001958045	11A19/LED/850/FR/P/ND 4/4FB	60 Hz	120 V	60 W	11 W	0.5 s
929001958075	11A19/LED/850/FR/P/ND 4/6FB	60 Hz	120 V	60 W	11 W	0.5 s
929001957815	15A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	100 W	15 W	0.5 s
929001958215	15A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	100 W	15 W	0.5 s
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	50 to 60 Hz	220-240 V	200 W	30 W	0.5 s
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	50 to 60 Hz	220-240 V	200 W	28 W	0.5 s
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	50 to 60 Hz	220-240 V	200 W	28 W	0.5 s
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	50 to 60 Hz	110-130 V	-	5 W	0.5 s
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	60 Hz	120 V	100-60-40 W	14, 8, 5 W	0.5 s
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	60 Hz	120 V	100-60-40 W	14, 8, 5 W	0.5 s
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	60 Hz	120 V	150-100-50 W	18.5, 13, 6 W	0.5 s
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	60 Hz	120 V	150-100-50 W	18.5, 13, 6 W	0.5 s

A-Shape LED

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Wattage Equivalent	Power (Rated) (Nom)	Starting Time (Nom)
929002311104	5A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	40 W	5 W	0.5 s
929002311115	6A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	40 W	6 W	0.5 s
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	60 Hz	120 V	40 W	6.5 W	0.5 s
929002311204	5A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	40 W	5 W	0.5 s
929002311215	6A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	40 W	6 W	0.5 s
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	60 Hz	120 V	40 W	5.5 W	0.5 s
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	60 W	8.5 W	0.5 s
929002311315	9A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311333	10A19/LED/827/FR/P/ND 4/4FB	60 Hz	120 V	60 W	10 W	0.5 s
929002311345	9A19/LED/827/FR/P/ND 4/4FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311363	10A19/LED/827/FR/P/ND 4/6FB	60 Hz	120 V	60 W	10 W	0.5 s
929002311375	9A19/LED/827/FR/P/ND 4/6FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	60 W	8.5 W	0.5 s
929002311415	9A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311433	9A19/LED/850/FR/P/ND 4/4FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311445	9A19/LED/850/FR/P/ND 4/4FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311463	9A19/LED/850/FR/P/ND 4/6FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311475	9A19/LED/850/FR/P/ND 4/6FB	60 Hz	120 V	60 W	9 W	0.5 s
929002311504	10A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	75 W	10 W	0.5 s
929002311533	11A19/LED/827/FR/P/ND 4/4FB	60 Hz	120 V	75 W	11 W	0.5 s
929002311603	10A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	75 W	10 W	0.5 s
929002311633	10A19/LED/850/FR/P/ND 4/4FB	60 Hz	120 V	75 W	10 W	0.5 s
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	100 W	13.5 W	0.5 s
929002311715	14A19/LED/827/FR/P/ND 4/2FB	60 Hz	120 V	100 W	14 W	0.5 s
929002311733	14A19/LED/827/FR/P/ND 4/4FB	60 Hz	120 V	100 W	14 W	0.5 s
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	100 W	13.5 W	0.5 s
929002311815	14A19/LED/850/FR/P/ND 4/2FB	60 Hz	120 V	100 W	14 W	0.5 s
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	60 Hz	120 V	100 W	13.5 W	0.5 s
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	60 Hz	120 V	60 W	8.8 W	0.5 s
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	60 Hz	120 V	100 W	16 W	0.5 s
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	60 Hz	120 V	60 W	8.8 W	0.5 s
929002343003	29A21/PER/827-22/P/E26/WG/HO 4/1FB	60 Hz	120 V	150 W	29 W	0.5 s
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	60 Hz	120 V	150 W	29 W	0.5 s

General Information

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Switching Cycle
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	E27	15000 h	50000X
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	E27	15000 h	50000X
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	E27	15000 h	50000X
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	E27	15000 h	100000X
929001854715	20A30/LED/865/FR/P/E26/N D 4/1FB	E26	25000 h	50000X
929001854815	24A35/LED/865/FR/P/ E26E39/ND 4/1FB	E26	25000 h	50000X
929001854915	42A40/LED/865/FR/P/ E26E39/ND 4/1FB	E26	25000 h	50000X
929001957515	7A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929001957615	11A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929001957675	11A19/LED/827/FR/P/ND 4/6FB	E26	11000 h	50000X
929001957915	7A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929001958015	11A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929001958045	11A19/LED/850/FR/P/ND 4/4FB	E26	11000 h	50000X

A-Shape LED

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Switching Cycle
929001958075	11A19/LED/850/FR/P/ND 4/6FB	E26	11000 h	50000X
929001957815	15A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929001958215	15A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	E27	15000 h	50000X
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	E27	15000 h	50000X
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	E27	15000 h	50000X
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	E27	6000 h	6000X
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	E26	25000 h	50000X
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	E26	25000 h	50000X
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	E26	15000 h	50000X
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	E26	15000 h	50000X
929002311104	5A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311115	6A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311204	5A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311215	6A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311315	9A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311333	10A19/LED/827/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311345	9A19/LED/827/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311363	10A19/LED/827/FR/P/ND 4/6FB	E26	11000 h	50000X
929002311375	9A19/LED/827/FR/P/ND 4/6FB	E26	11000 h	50000X
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311415	9A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311433	9A19/LED/850/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311445	9A19/LED/850/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311463	9A19/LED/850/FR/P/ND 4/6FB	E26	11000 h	50000X
929002311475	9A19/LED/850/FR/P/ND 4/6FB	E26	11000 h	50000X
929002311504	10A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311533	11A19/LED/827/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311603	10A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311633	10A19/LED/850/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311715	14A19/LED/827/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311733	14A19/LED/827/FR/P/ND 4/4FB	E26	11000 h	50000X
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311815	14A19/LED/850/FR/P/ND 4/2FB	E26	11000 h	50000X
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	E26	11000 h	50000X
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	GU24	15000 h	50000X
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	GU24	15000 h	50000X
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	E26	15000 h	50000X
929002343003	29A21/PER/827-22/P/E26/WG/HO 4/1FB	E26	15000 h	50000X
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	E26	15000 h	50000X

Light Technical

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)	Luminous Flux (Nom)
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	200 °	827	2700 K	80	1055 lm

A-Shape LED

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)	Luminous Flux (Nom)
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	200 °	840	4000 K	80	1055 lm
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	200 °	840	4000 K	80	1521 lm
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	-	827/825/822	- K	80	806-320-80 lm
929001854715	20A30/LED/865/FR/P/E26/ND 4/1FB	150 °	865	6500 K	80	2300 lm
929001854815	24A35/LED/865/FR/P/E26E39/ND 4/1FB	150 °	865	6500 K	80	3000 lm
929001854915	42A40/LED/865/FR/P/E26E39/ND 4/1FB	150 °	865	6500 K	80	5000 lm
929001957515	7A19/LED/827/FR/P/ND 4/2FB	150 °	827	2700 K	80	450 lm
929001957615	11A19/LED/827/FR/P/ND 4/2FB	150 °	827	2700 K	80	800 lm
929001957675	11A19/LED/827/FR/P/ND 4/6FB	150 °	827	2700 K	80	800 lm
929001957915	7A19/LED/850/FR/P/ND 4/2FB	150 °	850	5000 K	80	450 lm
929001958015	11A19/LED/850/FR/P/ND 4/2FB	150 °	850	5000 K	80	800 lm
929001958045	11A19/LED/850/FR/P/ND 4/4FB	150 °	850	5000 K	80	800 lm
929001958075	11A19/LED/850/FR/P/ND 4/6FB	150 °	850	5000 K	80	800 lm
929001957815	15A19/LED/827/FR/P/ND 4/2FB	150 °	827	2700 K	80	1500 lm
929001958215	15A19/LED/850/FR/P/ND 4/2FB	150 °	850	5000 K	80	1500 lm
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	150 °	827	2700 K	80	3450 lm
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	150 °	840	4000 K	80	3450 lm
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	150 °	865	6500 K	80	3450 lm
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	150 °	-	- K	-	- lm
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	250 °	927	2700 K	90	1600-800-450 lm
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	250 °	927	2700 K	90	1600-800-450 lm
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	250 °	927	2700 K	90	2150-1600-620 lm
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	250 °	927	2700 K	90	2150-1600-620 lm
929002311104	5A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	450 lm
929002311115	6A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	450 lm
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	-	827	2700 K	80	450 lm
929002311204	5A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	450 lm
929002311215	6A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	450 lm
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	-	850	5000 K	80	450 lm
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	800 lm
929002311315	9A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	800 lm
929002311333	10A19/LED/827/FR/P/ND 4/4FB	-	827	2700 K	80	800 lm
929002311345	9A19/LED/827/FR/P/ND 4/4FB	-	827	2700 K	80	800 lm
929002311363	10A19/LED/827/FR/P/ND 4/6FB	-	827	2700 K	80	800 lm
929002311375	9A19/LED/827/FR/P/ND 4/6FB	-	827	2700 K	80	800 lm
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	800 lm
929002311415	9A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	800 lm
929002311433	9A19/LED/850/FR/P/ND 4/4FB	-	850	5000 K	80	800 lm
929002311445	9A19/LED/850/FR/P/ND 4/4FB	-	850	5000 K	80	800 lm
929002311463	9A19/LED/850/FR/P/ND 4/6FB	-	850	5000 K	80	800 lm
929002311475	9A19/LED/850/FR/P/ND 4/6FB	-	850	5000 K	80	800 lm
929002311504	10A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	1000 lm
929002311533	11A19/LED/827/FR/P/ND 4/4FB	-	827	2700 K	80	1000 lm
929002311603	10A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	1000 lm
929002311633	10A19/LED/850/FR/P/ND 4/4FB	-	850	5000 K	80	1000 lm
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	1500 lm
929002311715	14A19/LED/827/FR/P/ND 4/2FB	-	827	2700 K	80	1500 lm
929002311733	14A19/LED/827/FR/P/ND 4/4FB	-	827	2700 K	80	1500 lm
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	1500 lm
929002311815	14A19/LED/850/FR/P/ND 4/2FB	-	850	5000 K	80	1500 lm
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	-	850	5000 K	80	1500 lm

A-Shape LED

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)	Luminous Flux (Nom)
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	250 °	930	3000 K	90	800 lm
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	250 °	930	3000 K	90	1600 lm
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	220 °	927	2700 K	90	800 lm
929002343003	29A21/PER/827-22/P/E26/WG/HO 4/1FB	250 °	827-822	2700, 2200 K	80	2610 lm
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	250 °	850	5000 K	80	2610 lm

Mechanical and Housing


Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	Frosted	A60
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	Frosted	A60
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	Frosted	A60
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	Frosted	A60
929001854715	20A30/LED/865/FR/P/E26/ND 4/1FB	Frosted	A30
929001854815	24A35/LED/865/FR/P/E26E39/ND 4/1FB	Frosted	A35
929001854915	42A40/LED/865/FR/P/E26E39/ND 4/1FB	Frosted	A40
929001957515	7A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929001957615	11A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929001957675	11A19/LED/827/FR/P/ND 4/6FB	Frosted	A19 (A19)
929001957915	7A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929001958015	11A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929001958045	11A19/LED/850/FR/P/ND 4/4FB	Frosted	A19 (A19)
929001958075	11A19/LED/850/FR/P/ND 4/6FB	Frosted	A19 (A19)
929001957815	15A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929001958215	15A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	Frosted	A110
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	Frosted	A110
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	Frosted	A110
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	Clear	A80
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	Frosted	A21 (A21)
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	Frosted	A21 (A21)
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	Frosted	A21 (A21)
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	Frosted	A21 (A21)
929002311104	5A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311115	6A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311204	5A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311215	6A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311315	9A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311333	10A19/LED/827/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311345	9A19/LED/827/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311363	10A19/LED/827/FR/P/ND 4/6FB	Frosted	A19 (A19)
929002311375	9A19/LED/827/FR/P/ND 4/6FB	Frosted	A19 (A19)
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311415	9A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311433	9A19/LED/850/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311445	9A19/LED/850/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311463	9A19/LED/850/FR/P/ND 4/6FB	Frosted	A19 (A19)
929002311475	9A19/LED/850/FR/P/ND 4/6FB	Frosted	A19 (A19)
929002311504	10A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311533	11A19/LED/827/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311603	10A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311633	10A19/LED/850/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311715	14A19/LED/827/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311733	14A19/LED/827/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311815	14A19/LED/850/FR/P/ND 4/2FB	Frosted	A19 (A19)
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	Frosted	A19 (A19)
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	Frosted	A19 (A19)
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	Frosted	A21 (A21)
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	Frosted	A19 (A19)
929002343003	29A21/PER/827-22/P/E26/WG/HO 4/1FB	Frosted	A21 (A21)
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	Frosted	A21 (A21)

Temperature


Order Code	Full Product Name	T-Case Maximum (Nom)
929001234422	LED 75W A60 E27 WW 230V FR ND 2CT/SRT6	80 °C
929001234822	LED 75W A60 E27 CW 230V FR ND 2CT/SRT6	80 °C
929001312422	LED 100W A60 E27 CW 230V FR ND 2CT/SRT6	85 °C
929001236598	LED SSW 60W A60 E27 WW FR ND 2CT/4	80 °C
929001854715	20A30/LED/865/FR/P/E26/ND 4/1FB	85 °C
929001854815	24A35/LED/865/FR/P/E26E39/ND 4/1FB	85 °C
929001854915	42A40/LED/865/FR/P/E26E39/ND 4/1FB	85 °C
929001957515	7A19/LED/827/FR/P/ND 4/2FB	65 °C
929001957615	11A19/LED/827/FR/P/ND 4/2FB	85 °C
929001957675	11A19/LED/827/FR/P/ND 4/6FB	85 °C


A-Shape LED


Order Code	Full Product Name	T-Case Maximum (Nom)
929001957915	7A19/LED/850/FR/P/ND 4/2FB	65 °C
929001958015	11A19/LED/850/FR/P/ND 4/2FB	80 °C
929001958045	11A19/LED/850/FR/P/ND 4/4FB	80 °C
929001958075	11A19/LED/850/FR/P/ND 4/6FB	80 °C
929001957815	15A19/LED/827/FR/P/ND 4/2FB	80 °C
929001958215	15A19/LED/850/FR/P/ND 4/2FB	80 °C
929002048401	LED 200W A110 E27 WW 230V FR ND 1PF/6	85 °C
929002048501	LED 200W A110 E27 CW 230V FR ND 1PF/6	85 °C
929002048601	LED 200W A110 E27 CDL 230V FR ND 1PF/6	85 °C
929002051511	Disco LEDBulb 5W RGB 120V E27 1PF/6	45 °C
929002285003	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	80 °C
929002285005	14A21/LED/927/P/E26/3WAY ND 4/1FB T20	80 °C
929002285103	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	95 °C
929002285105	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20	95 °C
929002311104	5A19/LED/827/FR/P/ND 4/2FB	75 °C
929002311115	6A19/LED/827/FR/P/ND 4/2FB	75 °C
929002311133	6.5A19/LED/827/FR/P/ND 4/4FB	75 °C
929002311204	5A19/LED/850/FR/P/ND 4/2FB	75 °C
929002311215	6A19/LED/850/FR/P/ND 4/2FB	75 °C
929002311233	5.5A19/LED/850/FR/P/ND 4/4FB	75 °C
929002311304	8.5A19/LED/827/FR/P/ND 4/2FB	85 °C
929002311315	9A19/LED/827/FR/P/ND 4/2FB	85 °C
929002311333	10A19/LED/827/FR/P/ND 4/4FB	85 °C
929002311345	9A19/LED/827/FR/P/ND 4/4FB	85 °C
929002311363	10A19/LED/827/FR/P/ND 4/6FB	85 °C
929002311375	9A19/LED/827/FR/P/ND 4/6FB	85 °C
929002311404	8.5A19/LED/850/FR/P/ND 4/2FB	85 °C
929002311415	9A19/LED/850/FR/P/ND 4/2FB	85 °C
929002311433	9A19/LED/850/FR/P/ND 4/4FB	85 °C
929002311445	9A19/LED/850/FR/P/ND 4/4FB	85 °C
929002311463	9A19/LED/850/FR/P/ND 4/6FB	85 °C
929002311475	9A19/LED/850/FR/P/ND 4/6FB	85 °C
929002311504	10A19/LED/827/FR/P/ND 4/2FB	95 °C
929002311533	11A19/LED/827/FR/P/ND 4/4FB	95 °C
929002311603	10A19/LED/850/FR/P/ND 4/2FB	95 °C
929002311633	10A19/LED/850/FR/P/ND 4/4FB	95 °C
929002311704	13.5A19/LED/827/FR/P/ND 4/2FB	95 °C
929002311715	14A19/LED/827/FR/P/ND 4/2FB	95 °C
929002311733	14A19/LED/827/FR/P/ND 4/4FB	95 °C
929002311804	13.5A19/LED/850/FR/P/ND 4/2FB	95 °C
929002311815	14A19/LED/850/FR/P/ND 4/2FB	95 °C
929002311833	13.5A19/LED/850/FR/P/ND 4/4FB	95 °C
929002327504	8.8A19/PER/930/P/GU24/DIM 6/1FB T20	90 °C
929002327604	16A21/PER/930/P/GU24/DIM 6/1FB T20	90 °C
929002333603	8.8A19/AMB/927/ND D2D 4/1FB T20	95 °C
929002343003	29A21/PER/827-22/P/E26/WG/HO 4/1FB	100 °C
929002343103	29A21/PER/850/P/E26/DIM/HO 4/1FB	100 °C





A-Shape LED



150° 180° 150°
120° 120°
90° 90°
60° 60°
200 150 100 50 50 100 150 200
γ
(cd/1000lm) 0°



150° 180° 150°
120° 120°
90° 90°
60° 60°
200 150 100 50 50 100 150 200
γ
(cd/1000lm) 0°



150° 180° 150°
120° 120°
90° 90°
60° 60°
150 100 50 50 100 150
γ
(cd/1000lm) 0°



120° 180° 120°
90° 90°
60° 60°
30° 30°
50 100 150 200 250 300
γ
(cd/1000lm) 0°



120° 180° 120°
90° 90°
60° 60°
30° 30°
50 100 150 200 250 300
γ
(cd/1000lm) 0°


150° 180° 150°
120° 120°
90° 90°
60° 60°
150 100 50 50 100 150
γ
(cd/1000lm) 0°



150° 180° 150°
120° 120°
90° 90°
60° 60°
150 100 50 50 100 150
γ
(cd/1000lm) 0°



150° 180° 150°
120° 120°
90° 90°
60° 60°
200 150 100 50 50 100 150 200
γ
(cd/1000lm) 0°


150° 180° 150°
120° 120°
90° 90°
60° 60°
200 150 100 50 50 100 150 200
γ
(cd/1000lm) 0°


150° 180° 150°
120° 120°
90° 90°
60° 60°
200 150 100 50 50 100 150 200
γ
(cd/1000lm) 0°

A-Shape LED





© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.