

Classic filament LEDbulbs

CLA LEDBulb DT 5-40W E27 CRI90 A60 CL

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
Technical type	5-40W

Light Technical	
Colour Code	927-922 [CCT of 2,700 K-2,200 K]
Beam Angle (Nom)	270 °
Luminous flux (nom.)	470 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2700 2200 K
Luminous efficacy (rated) (nom.)	94.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	5 W
Lamp current (nom.)	32 mA
Wattage equivalent	40 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	50 °C

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Lamp Finish	Clear

Approval and Application	
Energy efficiency label (EEL)	A+

Classic filament LEDbulbs


Energy consumption kWh/1,000 hours	5 kWh

Numerator – quantity per pack	1
SAP numerator – packs per outer box	10
Material no. (12 NC)	929002391602
Net Weight (Piece)	0.030 kg

Product Data

Full product code	871869977054900
Order product name	CLA LEDBulb DT 5-40W E27 CRI90 A60 CL
EAN/UPC – product	8718699770549
Order code	77054900


Dimensional drawing




Product	D	C
CLA LEDBulb DT 5-40W E27 CRI90 A60 CL	60 mm	106 mm

A60 230V 6-40W 470lm 2700-2200K E27 D CL


Photometric data



LEDbulb CLA 5W A60 E27 927 922 CL




LEDbulb CLA WGD CRI90




LEDbulb CLA 5W A60 E27 927 922 CL

Classic filament LEDbulbs

Lifetime



15K LED



15K LMP

© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.