

Dimmable glass LED bulbs that meet the high standard for light experience

MASTER Glass LED bulbs

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent bulbs with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cozy atmosphere. The MASTER LED bulbs can be dimmed for different lumen level and also for the different color temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED and provides excellent quality of light. By offering a lifetime of 25,000 hours it reduces maintenance costs.

Benefits

- energy saving, 30% less energy comapring with standard Philips LED bulb
- Very long lifetime that reduces the need for replacement
- Easy replacement of conventional lamps

Features

- heritage design with classic shapes
- perfect fit and high quality finishing
- Very good light quality with super high color rendering (CRI>95)
- Designed to be seen, they look good on and off
- Enviromentally friendly: contains no mercury or other hazardous sustances

Application

- Domestic application
- Hospitality: restaurants and hotels


MASTER Glass LED bulbs

Versions



E27 A 60mm Frosted

Dimensional drawing



Product	D	C
MAS LEDBulb DT7.2-75W E27 927 A60 FR G	60 mm	104 mm
MAS LEDBulbDT3.4 -40W E27 927 A60 FR G	60 mm	104 mm
MAS LEDBulb DT10.5-100W E27 927A60 FR G	60 mm	108 mm
MAS LEDBulb DT5.9-60W E27 927 A60 FR G	60 mm	104 mm

MASTER Glass LED bulbs

Controls and Dimming

Dimmable	Only with specific dimmers

Operating and Electrical

Input Frequency	50 to 60 Hz
Voltage (Nom)	220-240 V
Starting Time (Nom)	0.5 s

General Information

Cap-Base	E27
Nominal Lifetime (Nom)	25000 h
Switching Cycle	20000X

Light Technical

Color Code	922-927
Correlated Color Temperature (Nom)	2200, 2700 K
Color Rendering Index (Nom)	90
Llmf At End Of Nominal Lifetime (Nom)	70 %

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	A60

Temperature

T-Case Maximum (Nom)	70 °C

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929003010002	MAS LEDBulbDT3.4 -40W E27 927 A60 FR G	4 kWh
929003010402	MAS LEDBulb DT5.9-60W E27 927 A60 FR G	6 kWh
929003011302	MAS LEDBulb DT7.2-75W E27 927 A60 FR G	8 kWh
929003011702	MAS LEDBulb DT10.5-100W E27 927A60 FR G	11 kWh


Operating and Electrical

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929003010002	MAS LEDBulbDT3.4 -40W E27 927 A60 FR G	40 W	3.4 W
929003010402	MAS LEDBulb DT5.9-60W E27 927 A60 FR G	60 W	5.9 W


Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929003011302	MAS LEDBulb DT7.2-75W E27 927 A60 FR G	75 W	7.2 W
929003011702	MAS LEDBulb DT10.5-100W E27 927A60 FR G	100 W	10.5 W


Light Technical


Order Code	Full Product Name	Luminous Flux (Nom)
929003010002	MAS LEDBulbDT3.4 -40W E27 927 A60 FR G	470 lm
929003010402	MAS LEDBulb DT5.9-60W E27 927 A60 FR G	806 lm
929003011302	MAS LEDBulb DT7.2-75W E27 927 A60 FR G	1055 lm
929003011702	MAS LEDBulb DT10.5-100W E27 927A60 FR G	1521 lm



MASTER Glass LED bulbs







© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.