PHILIPS

Lighting



For your everyday lighting jobs, candle LEDs features a classic heritage design with the benefits of long-lasting LED technology

CorePro GLASS LED candles and lusters

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Benefits

- Saves 30% energy compared with standard Philips LED candles and lusters
- The LED candle bulb has very long lifetime that reduces the need for replacements
- Easy retrofit replacement for conventional lamps

CorePro GLASS LED candles and lusters

Features

- heritage design with classic shapes
- perfect fit and high-quality finish
- Very good light quality with good color rendering (CRI>80)
- Designed to be seen, they look good switched on or off
- Enviromentally friendly: contains no mercury or other hazardous sustances

Application

- Home
- Hospitality

Versions





E14 BA35 Clear



E14 ST35 Clear





E27 P 45mm Clear



E14 B 35mm Frosted





E14 P 45mm Frosted



E27 P 45mm Frosted

CorePro GLASS LED candles and lusters


Versions



E14 BA35 Frosted



B22 B 35mm Clear





B22 B 35mm Clear






E27 P 45mm Clear



E14 B 35mm Clear



E14 P 45mm Clear



E14 B 35mm Clear



E14 P 45mm Clear



E14 B 35mm Clear



E14 P 45mm Clear




E27 P 45mm Clear

CorePro GLASS LED candles and lusters


Dimensional drawing




Product	D	C
CorePro LEDCandleND2-25W ST35 E14 827CLG	35 mm	97 mm



Product	D	C
CorePro LEDLusterND2-25W P45 E14 827 CLG	45 mm	80 mm
CorePro LEDLusterND2.2-25W E14 840P45CLG	45 mm	80 mm



Product	D	C
CorePro LEDCandleND 2-25W E14B35 827CL G	35 mm	97 mm
CorePro LEDCandle ND 2.2-25W B35 E14 FRG	35 mm	97 mm
CorePro LEDCandleND2.2-25W E14 840B35CLG	35 mm	97 mm
CorePro LEDCandleND4.3-40W E14 827B35FRG	35 mm	97 mm
CorePro LEDCandleND6.5-60WB35 E14 840FRG	35 mm	97 mm
CorePro LEDCandleND6.5-60W B35 E14827FRG	35 mm	97 mm
CorePro LEDCandleND6.5-60W B35E14 865FRG	35 mm	97 mm




Product	D	C
CorePro LEDLusterND2-25W P45 E27 827 CLG	45 mm	78 mm

CorePro GLASS LED candles and lusters


Dimensional drawing




Product	D	C
CorePro LEDCandleND2-25W E14BA35 827CL G	35 mm	123 mm
CorePro LEDCandleND 2.2-25W BA35 E14 FRG	35 mm	123 mm



Product	D	C
CorePro LEDCandleND4.3-40W E14 827B35CLG	35 mm	97 mm
CorePro LEDCandleND4.3-40W E14 840B35CLG	35 mm	97 mm
CoreProLEDCandleND4.3-40WE14 827B35CLGUK	35 mm	97 mm




Product	D	C
CorePro LEDLuster ND 2.2-25W P45 E14 FRG	45 mm	80 mm
CorePro LEDLusterND4.3-40W E14 827P45FRG	45 mm	80 mm
CorePro LEDLusterND4.3-40W E14 827P45CLG	45 mm	82 mm
CorePro LEDLusterND6.5-60W P45 E14827FRG	45 mm	80 mm
CorePro LEDLusterND6.5-60W P45 E14865FRG	45 mm	80 mm
CorePro LEDLusterND4.3-40W E14 840P45CLG	45 mm	80 mm
CorePro LEDLusterND6.5-60W P45 E14840FRG	45 mm	80 mm




Product	D	C
CorePro LEDLusterND4.3-40W E27 827P45CLG	45 mm	82 mm
CorePro LEDLuster ND 2.2-25W P45 E27 FRG	45 mm	78 mm
CorePro LEDLusterND4.3-40W E27 827P45FRG	45 mm	78 mm
CorePro LEDLusterND6.5-60W P45 E27840FRG	45 mm	78 mm
CorePro LEDLusterND6.5-60W P45 E27827FRG	45 mm	78 mm

CorePro GLASS LED candles and lusters


Dimensional drawing




Product	D	C
CorePro LEDCandleND 2-25W B35 B22 827CLG	35 mm	93 mm
CorePro LEDCandleND4.3-40W B22 827B35CLG	35 mm	93 mm
CorePro LEDCandleND2-25W B22 827 B35 CLG	35 mm	94 mm



Product	D	C
CorePro LEDCandle ND6.5-60W B35E14827CLG	35 mm	97 mm
CorePro LEDCandleND6.5-60W B35 E14840CLG	35 mm	97 mm



Product	D	C
CorePro LEDLusterND6.5-60W P45 E27827CLG	45 mm	78 mm



Product	D	C
CorePro LEDLusterND6.5-60W P45 E14827CLG	45 mm	80 mm
CorePro LEDLusterND6.5-60W P45 E14840CLG	45 mm	80 mm

CorePro GLASS LED candles and lusters

Controls and dimming	
Dimmable	No
Operating and electrical	
Input Frequency	50 to 60 Hz
Voltage (Nom)	220-240 V
Starting Time (Nom)	0.5 s
General information	
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000
Light technical	
Color Rendering Index (Nom)	80
Llmf At End Of Nominal Lifetime (Nom)	70 %

Approval and application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929001238392	CorePro LEDCandleND 2-25W E14B35 827CL G	2 kWh
929001238492	CorePro LEDCandleND2-25W E14BA35 827CL G	2 kWh
929001238592	CorePro LEDCandleND2-25W ST35 E14 827CLG	2 kWh
929001238692	CorePro LEDLusterND2-25W P45 E14 827 CLG	2 kWh
929001238792	CorePro LEDLusterND2-25W P45 E27 827 CLG	2 kWh
929001345292	CorePro LEDCandle ND 2.2-25W B35 E14 FRG	3 kWh
929002028292	CorePro LEDCandleND6.5-60W B35 E14827FRG	7 kWh
929002028392	CorePro LEDCandleND6.5-60WB35 E14 840FRG	7 kWh
929002028492	CorePro LEDCandleND6.5-60W B35E14 865FRG	7 kWh
929001345392	CorePro LEDCandleND4.3-40W E14 827B35FRG	5 kWh
929001345492	CorePro LEDLuster ND 2.2-25W P45 E14 FRG	3 kWh
929001345592	CorePro LEDLusterND4.3-40W E14 827P45FRG	5 kWh
929002028792	CorePro LEDLusterND6.5-60W P45 E14827FRG	7 kWh
929002028892	CorePro LEDLusterND6.5-60W P45 E14840FRG	7 kWh
929002028992	CorePro LEDLusterND6.5-60W P45 E14865FRG	7 kWh
929001345692	CorePro LEDLuster ND 2.2-25W P45 E27 FRG	3 kWh
929001345792	CorePro LEDLusterND4.3-40W E27 827P45FRG	5 kWh
929002029292	CorePro LEDLusterND6.5-60W P45 E27827FRG	7 kWh
929002029392	CorePro LEDLusterND6.5-60W P45 E27840FRG	7 kWh
929001345892	CorePro LEDCandleND 2.2-25W BA35 E14 FRG	3 kWh
929001815692	CorePro LEDCandleND 2-25W B35 B22 827CLG	2 kWh
929002023992	CorePro LEDCandleND2-25W B22 827 B35 CLG	2 kWh
929001889719	CoreProLEDCandleND4.3-40WE14 827B35CLGUK	5 kWh
929001889792	CorePro LEDCandleND4.3-40W E14 827B35CLG	5 kWh
929001889992	CorePro LEDCandleND4.3-40W B22 827B35CLG	5 kWh
929001890492	CorePro LEDLusterND4.3-40W E14 827P45CLG	5 kWh
929001890592	CorePro LEDLusterND4.3-40W E27 827P45CLG	5 kWh
929002023792	CorePro LEDCandleND2.2-25W E14 840B35CLG	3 kWh
929002024092	CorePro LEDLusterND2.2-25W E14 840P45CLG	3 kWh
929002024392	CorePro LEDCandleND4.3-40W E14 840B35CLG	5 kWh
929002024692	CorePro LEDLusterND4.3-40W E14 840P45CLG	5 kWh
929002028092	CorePro LEDCandle ND6.5-60W B35E14827CLG	7 kWh
929002028192	CorePro LEDCandleND6.5-60W B35 E14840CLG	7 kWh
929002028592	CorePro LEDLusterND6.5-60W P45 E14827CLG	7 kWh
929002028692	CorePro LEDLusterND6.5-60W P45 E14840CLG	7 kWh
929002029092	CorePro LEDLusterND6.5-60W P45 E27827CLG	7 kWh

Operating and electrical

Order Code	Full Product Name	Wattage Equivalent	Power (Nom)
929001238392	CorePro LEDCandleND 2-25W E14B35 827CL G	25 W	2 W
929001238492	CorePro LEDCandleND2-25W E14BA35 827CL G	25 W	2 W
929001238592	CorePro LEDCandleND2-25W ST35 E14 827CLG	25 W	2 W
929001238692	CorePro LEDLusterND2-25W P45 E14 827 CLG	25 W	2 W

Order Code	Full Product Name	Wattage Equivalent	Power (Nom)
929001238792	CorePro LEDLusterND2-25W P45 E27 827 CLG	25 W	2 W
929001345292	CorePro LEDCandle ND 2.2-25W B35 E14 FRG	25 W	2.2 W
929002028292	CorePro LEDCandleND6.5-60W B35 E14827FRG	60 W	6.5 W
929002028392	CorePro LEDCandleND6.5-60WB35 E14 840FRG	60 W	6.5 W

CorePro GLASS LED candles and lusters

Order Code	Full Product Name	Wattage Equivalent	Power (Nom)
929002028492	CorePro LEDCandleND6.5-60W B35E14 865FRG	60 W	6.5 W
929001345392	CorePro LEDCandleND4.3-40W E14 827B35FRG	40 W	4.3 W
929001345492	CorePro LEDLuster ND 2.2-25W P45 E14 FRG	25 W	2.2 W
929001345592	CorePro LEDLusterND4.3-40W E14 827P45FRG	40 W	4.3 W
929002028792	CorePro LEDLusterND6.5-60W P45 E14827FRG	60 W	6.5 W
929002028892	CorePro LEDLusterND6.5-60W P45 E14840FRG	60 W	6.5 W
929002028992	CorePro LEDLusterND6.5-60W P45 E14865FRG	60 W	6.5 W
929001345692	CorePro LEDLuster ND 2.2-25W P45 E27 FRG	25 W	2.2 W
929001345792	CorePro LEDLusterND4.3-40W E27 827P45FRG	40 W	4.3 W
929002029292	CorePro LEDLusterND6.5-60W P45 E27827FRG	60 W	6.5 W
929002029392	CorePro LEDLusterND6.5-60W P45 E27840FRG	60 W	6.5 W
929001345892	CorePro LEDCandleND 2.2-25W BA35 E14 FRG	25 W	2.2 W
929001815692	CorePro LEDCandleND 2-25W B35 B22 827CLG	25 W	2 W
929002023992	CorePro LEDCandleND2-25W B22 827 B35 CLG	25 W	2 W

Order Code	Full Product Name	Wattage Equivalent	Power (Nom)
929001889719	CoreProLEDCandleND4.3-40WE14 827B35CLGUK	40 W	4.3 W
929001889792	CorePro LEDCandleND4.3-40W E14 827B35CLG	40 W	4.3 W
929001889992	CorePro LEDCandleND4.3-40W B22 827B35CLG	40 W	4.3 W
929001890492	CorePro LEDLusterND4.3-40W E14 827P45CLG	40 W	4.3 W
929001890592	CorePro LEDLusterND4.3-40W E27 827P45CLG	40 W	4.3 W
929002023792	CorePro LEDCandleND2.2-25W E14 840B35CLG	25 W	2.2 W
929002024092	CorePro LEDLusterND2.2-25W E14 840P45CLG	25 W	2.2 W
929002024392	CorePro LEDCandleND4.3-40W E14 840B35CLG	40 W	4.3 W
929002024692	CorePro LEDLusterND4.3-40W E14 840P45CLG	40 W	4.3 W
929002028092	CorePro LEDCandle ND6.5-60W B35E14827CLG	60 W	6.5 W
929002028192	CorePro LEDCandleND6.5-60W B35 E14840CLG	60 W	6.5 W
929002028592	CorePro LEDLusterND6.5-60W P45 E14827CLG	60 W	6.5 W
929002028692	CorePro LEDLusterND6.5-60W P45 E14840CLG	60 W	6.5 W
929002029092	CorePro LEDLusterND6.5-60W P45 E27827CLG	60 W	6.5 W

General information

Order Code	Full Product Name	Cap-Base
929001238392	CorePro LEDCandleND 2-25W E14B35 827CL G	E14
929001238492	CorePro LEDCandleND2-25W E14BA35 827CL G	E14
929001238592	CorePro LEDCandleND2-25W ST35 E14 827CLG	E14
929001238692	CorePro LEDLusterND2-25W P45 E14 827 CLG	E14
929001238792	CorePro LEDLusterND2-25W P45 E27 827 CLG	E27
929001345292	CorePro LEDCandle ND 2.2-25W B35 E14 FRG	E14
929002028292	CorePro LEDCandleND6.5-60W B35 E14827FRG	E14
929002028392	CorePro LEDCandleND6.5-60WB35 E14 840FRG	E14
929002028492	CorePro LEDCandleND6.5-60W B35E14 865FRG	E14
929001345392	CorePro LEDCandleND4.3-40W E14 827B35FRG	E14
929001345492	CorePro LEDLuster ND 2.2-25W P45 E14 FRG	E14
929001345592	CorePro LEDLusterND4.3-40W E14 827P45FRG	E14
929002028792	CorePro LEDLusterND6.5-60W P45 E14827FRG	E14
929002028892	CorePro LEDLusterND6.5-60W P45 E14840FRG	E14
929002028992	CorePro LEDLusterND6.5-60W P45 E14865FRG	E14
929001345692	CorePro LEDLuster ND 2.2-25W P45 E27 FRG	E27
929001345792	CorePro LEDLusterND4.3-40W E27 827P45FRG	E27
929002029292	CorePro LEDLusterND6.5-60W P45 E27827FRG	E27

Order Code	Full Product Name	Cap-Base
929002029392	CorePro LEDLusterND6.5-60W P45 E27840FRG	E27
929001345892	CorePro LEDCandleND 2.2-25W BA35 E14 FRG	E14
929001815692	CorePro LEDCandleND 2-25W B35 B22 827CLG	B22
929002023992	CorePro LEDCandleND2-25W B22 827 B35 CLG	B22
929001889719	CoreProLEDCandleND4.3-40WE14 827B35CLGUK	E14
929001889792	CorePro LEDCandleND4.3-40W E14 827B35CLG	E14
929001889992	CorePro LEDCandleND4.3-40W B22 827B35CLG	B22
929001890492	CorePro LEDLusterND4.3-40W E14 827P45CLG	E14
929001890592	CorePro LEDLusterND4.3-40W E27 827P45CLG	E27
929002023792	CorePro LEDCandleND2.2-25W E14 840B35CLG	E14
929002024092	CorePro LEDLusterND2.2-25W E14 840P45CLG	E14
929002024392	CorePro LEDCandleND4.3-40W E14 840B35CLG	E14
929002024692	CorePro LEDLusterND4.3-40W E14 840P45CLG	E14
929002028092	CorePro LEDCandle ND6.5-60W B35E14827CLG	E14
929002028192	CorePro LEDCandleND6.5-60W B35 E14840CLG	E14
929002028592	CorePro LEDLusterND6.5-60W P45 E14827CLG	E14
929002028692	CorePro LEDLusterND6.5-60W P45 E14840CLG	E14
929002029092	CorePro LEDLusterND6.5-60W P45 E27827CLG	E27

CorePro GLASS LED candles and lusters

Light technical

Order Code	Full Product Name	Color Code	Correlated Color Temperature (Nom)	Luminous Flux (Nom)
929001238392	CorePro LEDCandleND 2-25W E14B35 827CL G	827	2700 K	250 lm
929001238492	CorePro LEDCandleND2-25W E14BA35 827CL G	827	2700 K	250 lm
929001238592	CorePro LEDCandleND2-25W ST35 E14 827CLG	827	2700 K	250 lm
929001238692	CorePro LEDLusterND2-25W P45 E14 827 CLG	827	2700 K	250 lm
929001238792	CorePro LEDLusterND2-25W P45 E27 827 CLG	827	2700 K	250 lm
929001345292	CorePro LEDCandle ND 2.2-25W B35 E14 FRG	827	2700 K	250 lm
929002028292	CorePro LEDCandleND6.5-60W B35 E14827FRG	827	2700 K	806 lm
929002028392	CorePro LEDCandleND6.5-60WB35 E14 840FRG	840	4000 K	806 lm
929002028492	CorePro LEDCandleND6.5-60W B35E14 865FRG	865	6500 K	806 lm
929001345392	CorePro LEDCandleND4.3-40W E14 827B35FRG	827	2700 K	470 lm
929001345492	CorePro LEDLuster ND 2.2-25W P45 E14 FRG	827	2700 K	250 lm
929001345592	CorePro LEDLusterND4.3-40W E14 827P45FRG	827	2700 K	470 lm
929002028792	CorePro LEDLusterND6.5-60W P45 E14827FRG	827	2700 K	806 lm
929002028892	CorePro LEDLusterND6.5-60W P45 E14840FRG	840	4000 K	806 lm
929002028992	CorePro LEDLusterND6.5-60W P45 E14865FRG	865	6500 K	806 lm
929001345692	CorePro LEDLuster ND 2.2-25W P45 E27 FRG	827	2700 K	250 lm
929001345792	CorePro LEDLusterND4.3-40W E27 827P45FRG	827	2700 K	470 lm
929002029292	CorePro LEDLusterND6.5-60W P45 E27827FRG	827	2700 K	806 lm
929002029392	CorePro LEDLusterND6.5-60W P45 E27840FRG	840	4000 K	806 lm
929001345892	CorePro LEDCandleND 2.2-25W BA35 E14 FRG	827	2700 K	250 lm
929001815692	CorePro LEDCandleND 2-25W B35 B22 827CLG	827	2700 K	250 lm
929002023992	CorePro LEDCandleND2-25W B22 827 B35 CLG	827	2700 K	250 lm
929001889719	CoreProLEDCandleND4.3-40WE14 827B35CLGUK	827	2700 K	470 lm
929001889792	CorePro LEDCandleND4.3-40W E14 827B35CLG	827	2700 K	470 lm
929001889992	CorePro LEDCandleND4.3-40W B22 827B35CLG	827	2700 K	470 lm
929001890492	CorePro LEDLusterND4.3-40W E14 827P45CLG	827	2700 K	470 lm
929001890592	CorePro LEDLusterND4.3-40W E27 827P45CLG	827	2700 K	470 lm
929002023792	CorePro LEDCandleND2.2-25W E14 840B35CLG	840	4000 K	250 lm
929002024092	CorePro LEDLusterND2.2-25W E14 840P45CLG	840	4000 K	250 lm
929002024392	CorePro LEDCandleND4.3-40W E14 840B35CLG	840	4000 K	470 lm
929002024692	CorePro LEDLusterND4.3-40W E14 840P45CLG	840	4000 K	470 lm
929002028092	CorePro LEDCandle ND6.5-60W B35E14827CLG	827	2700 K	806 lm
929002028192	CorePro LEDCandleND6.5-60W B35 E14840CLG	840	4000 K	806 lm
929002028592	CorePro LEDLusterND6.5-60W P45 E14827CLG	827	2700 K	806 lm
929002028692	CorePro LEDLusterND6.5-60W P45 E14840CLG	840	4000 K	806 lm
929002029092	CorePro LEDLusterND6.5-60W P45 E27827CLG	827	2700 K	806 lm

Mechanical and housing

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001238392	CorePro LEDCandleND 2-25W E14B35 827CL G	Clear	B35
929001238492	CorePro LEDCandleND2-25W E14BA35 827CL G	Clear	BA35
929001238592	CorePro LEDCandleND2-25W ST35 E14 827CLG	Clear	ST35
929001238692	CorePro LEDLusterND2-25W P45 E14 827 CLG	Clear	P45
929001238792	CorePro LEDLusterND2-25W P45 E27 827 CLG	Clear	P45
929001345292	CorePro LEDCandle ND 2.2-25W B35 E14 FRG	Frosted	B35
929002028292	CorePro LEDCandleND6.5-60W B35 E14827FRG	Frosted	B35
929002028392	CorePro LEDCandleND6.5-60WB35 E14 840FRG	Frosted	B35
929002028492	CorePro LEDCandleND6.5-60W B35E14 865FRG	Frosted	B35

CorePro GLASS LED candles and lusters


Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001345392	CorePro LEDCandleND4.3-40W E14 827B35FRG	Frosted	B35
929001345492	CorePro LEDLuster ND 2.2-25W P45 E14 FRG	Frosted	P45
929001345592	CorePro LEDLusterND4.3-40W E14 827P45FRG	Frosted	P45
929002028792	CorePro LEDLusterND6.5-60W P45 E14827FRG	Frosted	P45
929002028892	CorePro LEDLusterND6.5-60W P45 E14840FRG	Frosted	P45
929002028992	CorePro LEDLusterND6.5-60W P45 E14865FRG	Frosted	P45
929001345692	CorePro LEDLuster ND 2.2-25W P45 E27 FRG	Frosted	P45
929001345792	CorePro LEDLusterND4.3-40W E27 827P45FRG	Frosted	P45
929002029292	CorePro LEDLusterND6.5-60W P45 E27827FRG	Frosted	P45
929002029392	CorePro LEDLusterND6.5-60W P45 E27840FRG	Frosted	P45
929001345892	CorePro LEDCandleND 2.2-25W BA35 E14 FRG	Frosted	BA35
929001815692	CorePro LEDCandleND 2-25W B35 B22 827CLG	Clear	B35
929002023992	CorePro LEDCandleND2-25W B22 827 B35 CLG	Clear	B35
929001889719	CoreProLEDCandleND4.3-40WE14 827B35CLGUK	Clear	B35

Order Code	Full Product Name	Bulb Finish	Bulb Shape
929001889792	CorePro LEDCandleND4.3-40W E14 827B35CLG	Clear	B35
929001889992	CorePro LEDCandleND4.3-40W B22 827B35CLG	Clear	B35
929001890492	CorePro LEDLusterND4.3-40W E14 827P45CLG	Clear	P45
929001890592	CorePro LEDLusterND4.3-40W E27 827P45CLG	Clear	P45
929002023792	CorePro LEDCandleND2.2-25W E14 840B35CLG	Clear	B35
929002024092	CorePro LEDLusterND2.2-25W E14 840P45CLG	Clear	P45
929002024392	CorePro LEDCandleND4.3-40W E14 840B35CLG	Clear	B35
929002024692	CorePro LEDLusterND4.3-40W E14 840P45CLG	Clear	P45
929002028092	CorePro LEDCandle ND6.5-60W B35E14827CLG	Clear	B35
929002028192	CorePro LEDCandleND6.5-60W B35 E14840CLG	Clear	B35
929002028592	CorePro LEDLusterND6.5-60W P45 E14827CLG	Clear	P45
929002028692	CorePro LEDLusterND6.5-60W P45 E14840CLG	Clear	P45
929002029092	CorePro LEDLusterND6.5-60W P45 E27827CLG	Clear	P45


Temperature


Order Code	Full Product Name	T-Case Maximum (Nom)
929001238392	CorePro LEDCandleND 2-25W E14B35 827CL G	36 °C
929001238492	CorePro LEDCandleND2-25W E14BA35 827CL G	36 °C
929001238592	CorePro LEDCandleND2-25W ST35 E14 827CLG	36 °C
929001238692	CorePro LEDLusterND2-25W P45 E14 827 CLG	36 °C
929001238792	CorePro LEDLusterND2-25W P45 E27 827 CLG	30 °C
929001345292	CorePro LEDCandle ND 2.2-25W B35 E14 FRG	36 °C
929002028292	CorePro LEDCandleND6.5-60W B35 E14827FRG	55 °C
929002028392	CorePro LEDCandleND6.5-60WB35 E14 840FRG	55 °C
929002028492	CorePro LEDCandleND6.5-60W B35E14 865FRG	55 °C
929001345392	CorePro LEDCandleND4.3-40W E14 827B35FRG	55 °C
929001345492	CorePro LEDLuster ND 2.2-25W P45 E14 FRG	36 °C
929001345592	CorePro LEDLusterND4.3-40W E14 827P45FRG	55 °C
929002028792	CorePro LEDLusterND6.5-60W P45 E14827FRG	55 °C
929002028892	CorePro LEDLusterND6.5-60W P45 E14840FRG	55 °C
929002028992	CorePro LEDLusterND6.5-60W P45 E14865FRG	55 °C
929001345692	CorePro LEDLuster ND 2.2-25W P45 E27 FRG	36 °C
929001345792	CorePro LEDLusterND4.3-40W E27 827P45FRG	55 °C
929002029292	CorePro LEDLusterND6.5-60W P45 E27827FRG	55 °C
929002029392	CorePro LEDLusterND6.5-60W P45 E27840FRG	55 °C
929001345892	CorePro LEDCandleND 2.2-25W BA35 E14 FRG	36 °C
929001815692	CorePro LEDCandleND 2-25W B35 B22 827CLG	36 °C
929002023992	CorePro LEDCandleND2-25W B22 827 B35 CLG	36 °C
929001889719	CoreProLEDCandleND4.3-40WE14 827B35CLGUK	45 °C
929001889792	CorePro LEDCandleND4.3-40W E14 827B35CLG	45 °C
929001889992	CorePro LEDCandleND4.3-40W B22 827B35CLG	45 °C
929001890492	CorePro LEDLusterND4.3-40W E14 827P45CLG	45 °C
929001890592	CorePro LEDLusterND4.3-40W E27 827P45CLG	45 °C
929002023792	CorePro LEDCandleND2.2-25W E14 840B35CLG	36 °C
929002024092	CorePro LEDLusterND2.2-25W E14 840P45CLG	30 °C


Order Code	Full Product Name	T-Case Maximum (Nom)
929002024392	CorePro LEDCandleND4.3-40W E14 840B35CLG	55 °C
929002024692	CorePro LEDLusterND4.3-40W E14 840P45CLG	45 °C
929002028092	CorePro LEDCandle ND6.5-60W B35E14827CLG	55 °C
929002028192	CorePro LEDCandleND6.5-60W B35 E14840CLG	55 °C
929002028592	CorePro LEDLusterND6.5-60W P45 E14827CLG	55 °C
929002028692	CorePro LEDLusterND6.5-60W P45 E14840CLG	55 °C
929002029092	CorePro LEDLusterND6.5-60W P45 E27827CLG	55 °C





CorePro GLASS LED candles and lusters


























CorePro GLASS LED candles and lusters

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com
2023, January 23 - data subject to change